Skip to main content Skip to primary navigation	
Menu	
Home Home	
<u>About this portal</u>	
Latest updates	
Print Save Email	
Resource detail	
Citations	

NZS 1170.5:2004 Structural Design Actions - Part 5: Earthquake design actions - New Zealand

View on Information Provider website Download this resource (PDF, 4.6MB) {{ linkText }}

Abbreviation NZS 1170.5:2004 Amendment Amendment 1 - incorporated, published 30.09.2016 Valid from 21/12/2004

Table of Contents

Information provider Standards New Zealand Author Standards New Zealand Information type New Zealand Standard Format PDF Cited By This resource is cited by 37 documents (show Citations) Cites

This resource cites 4 documents (show Citations)

Description

Provides procedures for the determination of earthquake actions on structures in New Zealand.

It gives the requirements for verification procedures, site hazard determination, the evaluation of structural characteristics, structural analysis for earthquake action effects, the determination and limits for deformations and the seismic design of parts of structures. It is to be applied in conjunction with AS/NZS 1170 parts 0, 1, 2 and 3.

Appendices cover aspects of ultimate limit state design and the requirements for material specific structural design standards that are able to be used in conjunction with NZS 1170.5.

Scope

This Standard, NZS 1170.5, sets out procedures and criteria for establishing the earthquake actions to be used in the limit state design of structures and parts of structures within New Zealand that are within the scope of AS/NZS 1170.0. The design of the following structures for earthquake actions is outside the scope of this Standard:

- (a) Bridges;
- (b) Tanks containing liquids;
- (c) Civil structures including dams and bunds;
- (d) Offshore structures that are partly or fully immersed; and
- (e) Soil retaining structures.

This Standard does not address the effects of slope instability, liquefaction, fault displacement, seiche and/or tsunami resulting from earthquake shaking. This Standard is to be used in conjunction with material specific structural design Standards that comply with the requirements of Appendix D.

For assistance with locating previous versions, please contact the information provider.

 Table of Contents
 View on Information Provider website Download this resource (PDF, 4.6MB)
 {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 1170.5:2004 Structural Design Actions - Part 5: Earthquake design actions - New Zealand

This document is CITED BY:

• G10/AS1 (First Edition, Amendment 6)

NZS 1170.5:2004 is cited by Acceptable Solution G10/AS1: Piped Services from 30/09/2010

• <u>G12/AS2 (Third Edition, Amendment 11)</u>

NZS 1170.5:2004 is cited by Acceptable Solution G12/AS2: Solar Water Heaters from 01/12/2007

• G12/AS2 (Third Edition, Amendment 9)

NZS 1170.5:2004 is cited by Acceptable Solution G12/AS2: Solar Water Heaters from 01/12/2007

• G12/AS2 (Third Edition, Amendment 12)

NZS 1170.5:2004 is cited by Acceptable Solution G12/AS2: Solar Water Heaters from 01/12/2007

• G12/AS2 (Third Edition, Amendment 8)

NZS 1170.5:2004 is cited by Acceptable Solution G12/AS2: Solar Water Heaters from 01/12/2007

• G12/AS2 (Third Edition, Amendment 10)

NZS 1170.5:2004 is cited by Acceptable Solution G12/AS2: Solar Water Heaters from 01/12/2007

• G12/AS2 (Third Edition, Amendment 7)

NZS 1170.5:2004 is cited by Acceptable Solution G12/AS2: Solar Water Heaters from 01/12/2007

• <u>B1/VM1 (First edition, Amendment 10)</u>

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

• B1/VM1 (First Edition, Amendment 17)

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

• B1/VM1 (First Edition, Amendment 12.)

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

<u>B1/VM1 (First edition, Amendment 13)</u>

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

• B1/VM1 (First edition, amendment 15)

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

• B1/VM1 (First edition, Amendment 16)

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

• <u>B1/VM1 (First Edition, Amendment 11)</u>

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

• B1/VM1 (First edition, Amendment 14)

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

• B1/VM1 (First edition, Amendment 19))

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

• B1/VM1 (First Edition, Amendment 18)

NZS 1170.5:2004 is cited by Verification Method B1/VM1: Structure - General from 19/05/2011

• <u>AS/NZS 1170.0:2002</u>

NZS 1170.5:2004 is cited by AS/NZS 1170.0:2002 Structural Design Actions - General principles

• AS/NZS 2327:2017

NZS 1170.5:2004 is cited by AS/NZS 2327:2017 Composite structures - Composite steel-concrete construction in buildings

• AS/NZS 4600:2005

NZS 1170.5:2004 is cited by AS/NZS 4600:2005 Cold-formed steel structures

• CCANZ CP 01:2014

NZS 1170.5:2004 is cited by Code of Practice for Weathertight Concrete and Concrete Masonry Construction

NASH Standard Part 1:2010

NZS 1170.5:2004 is cited by NASH Standard - Residential and Low-Rise Steel Framing Part 1 2010 Design Criteria

• NASH Standard Part 1:2016

NZS 1170.5:2004 is cited by NASH Standard Part 1:2016 Design Criteria - Alternative Solution

• NZS 3101.1&2:2006

NZS 1170.5:2004 is cited by NZS 3101.1&2:2006 Concrete structures standard. The design of concrete structures

• NZS 3106:2009

NZS 1170.5:2004 is cited by NZS 3106:2009 Design of concrete structures for the storage of liquids

• NZS 3404 Parts 1 and 2:1997

NZS 1170.5:2004 is cited by NZS 3404 Parts 1 and 2:1997 Steel structures standard

• <u>NZS 3604:2011</u>

NZS 1170.5:2004 is cited by NZS 3604:2011 Timber-framed buildings

• NZS 4211:2008

NZS 1170.5:2004 is cited by NZS 4211:2008 Specification for performance of windows

• NZS 4219:2009

NZS 1170.5:2004 is cited by NZS 4219:2009 Seismic performance of engineering systems in buildings

• NZS 4223.1:2008

NZS 1170.5:2004 is cited by NZS 4223.1:2008 Code of practice for glazing in buildings - Glass selection and glazing

• NZS 4229:2013

NZS 1170.5:2004 is cited by NZS 4229:2013 Concrete masonry buildings not requiring specific engineering design

• NZS 4230:2004

NZS 1170.5:2004 is cited by NZS 4230:2004 Design of reinforced concrete masonry structures

• NZS 4251.1:2007

NZS 1170.5:2004 is cited by NZS 4251.1:2007 Solid plastering - Cement plaster for walls, ceilings and soffits

NZS 4510:2008

NZS 1170.5:2004 is cited by NZS 4510:2008 Fire hydrant systems for buildings

• NZS 4515:2009

NZS 1170.5:2004 is cited by NZS 4515:2009 Fire sprinkler systems for life safety in sleeping occupancies (up to 2000 square metres)

NZS 4541:2007

NZS 1170.5:2004 is cited by NZS 4541:2007 Automatic fire sprinkler systems

• NZS 4541:2013

NZS 1170.5:2004 is cited by NZS 4541:2013 Automatic fire sprinkler systems

Back

NZS 1170.5:2004 Structural Design Actions - Part 5: Earthquake design actions - New Zealand

Show what documents this resource is CITED BY Show what document

Show what documents this resource CITES

Description

Provides procedures for the determination of earthquake actions on structures in New Zealand.

It gives the requirements for verification procedures, site hazard determination, the evaluation of structural characteristics, structural analysis for earthquake action effects, the determination and limits for deformations and the seismic design of parts of structures. It is to be applied in conjunction with AS/NZS 1170 parts 0, 1, 2 and 3.

Appendices cover aspects of ultimate limit state design and the requirements for material specific structural design standards that are able to be used in conjunction with NZS 1170.5.

View on Information Provider website Download this resource (PDF, 4.6MB)

NZS 1170.5:2004 Structural Design Actions - Part 5: Earthquake design actions - New Zealand

Description

Provides procedures for the determination of earthquake actions on structures in New Zealand.

It gives the requirements for verification procedures, site hazard determination, the evaluation of structural characteristics, structural analysis for earthquake action effects, the determination and limits for deformations and the seismic design of parts of

structures. It is to be applied in conjunction with AS/NZS 1170 parts 0, 1, 2 and 3.

Appendices cover aspects of ultimate limit state design and the requirements for material specific structural design standards that are able to be used in conjunction with NZS 1170.5.

View on Information Provider website Download this resource (PDF, 4.6MB)

This resource cites:

NZS 1170.5:2004 Structural Design Actions - Part 5: Earthquake design actions - New Zealand

This document CITES:

New Zealand Standards

• <u>AS/NZS 1170.0:2002</u>

NZS 1170.5:2004 cites AS/NZS 1170.0:2002 Structural Design Actions - General principles

• AS/NZS 1170.1:2002

NZS 1170.5:2004 cites AS/NZS 1170.1:2002 (R2016) Structural Design Actions - Permanent, imposed and other actions

• AS/NZS 1170.3:2003 (Reconfirmed in 2016)

NZS 1170.5:2004 cites AS/NZS 1170.3:2003 (R2016) Structural Design Actions - Snow and ice actions

• NZS 3101.1&2:2006

NZS 1170.5:2004 cites NZS 3101.1&2:2006 Concrete structures standard. The design of concrete structures

Back	
Close	

Table of Contents

Section 1 Scope And General

- 1.1 Scope
- **1.2 Determination Of Earthquake Actions**
- 1.3 Limit States
- **1.4 Special Studies**
- **1.5 Referenced Documents**
- 1.6 Units
- **1.7 Definitions**
- **1.8 Notation**
- **Section 2 Verification**

- **2.1 General Requirements**
- 2.2 Structural Types
- 2.3 Ultimate Limit State Verification
- 2.4 Serviceability Limit State Verification
- 2.5 Deformation Control
- 2.6 Structure Parts

2.7 Deformation Demands On Structural Members Not Designed To Resist Seismic Actions

Section 3 Site Hazard Spectra

- 3.1 Elastic Site Spectra For Horizontal Loading
- 3.2 Site Hazard Spectra For Vertical Loading
- **Section 4 Structural Characteristics**
- 4.1 Period Of Vibration
- 4.2 Seismic Weight And Seismic Mass
- 4.3 Structural Ductility Factor
- 4.4 Structural Performance Factor, Sp
- 4.5 Structural Irregularity
- Section 5 Design Earthquake Actions
- 5.1 General
- 5.2 Horizontal Design Action Coefficients And Design Spectra
- **5.3 Application Of Design Actions**
- **5.4 Vertical Design Actions**
- 5.5 Ground Motion Records For Time History Analyses
- 5.6 Capacity Design
- 5.7 Diaphragms
- **Section 6 Structural Analysis**

- 6.1 General
- 6.2 Equivalent Static Method
- 6.3 Modal Response Spectrum Method
- 6.4 Numerical Integration Time History Method
- 6.5 P-Delta Effects
- 6.6 Rocking Structures And Structural Elements
- Section 7 Earthquake Induced Deflections
- 7.1 General
- 7.2 Determination Of Design Horizontal Deflections
- 7.3 Determination Of Inter-Storey Deflection
- 7.4 Horizontal Deflection Limits
- 7.5 Inter-Storey Deflection Limits
- **Section 8 Requirements For Parts And Components**
- 8.1 General
- 8.2 Design Response Coefficient For Parts And Components
- 8.3 Floor Height Coefficient, Chi
- 8.4 Part Or Component Spectral Shape Coefficient
- 8.5 Design Actions On Parts And Components
- 8.6 Part Or Component Response Factor Cph
- 8.7 Connections
- 8.8 Parts Supported On Ledges
- Appendices
- A Definitions
- **B** Notation
- **C** Designing For Ultimate Limit State

D Requirements For Material Design Standards



Feedback