

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Print](#) [Save](#) [Email](#)

[Resource detail](#)

[Citations](#)

AS/NZS 14341:2012 Welding consumables – Wire electrodes and weld deposits for gas shielded metal arc welding of non alloy and fine grain steels – Classifications

[View on Information Provider website](#) [{{ linkText }}](#)

Abbreviation

AS/NZS 14341:2012

Valid from

08/11/2012

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard specifies requirements for manufacturers and users on the classification of wire electrodes and weld deposits in the as-welded condition and in the post-weld heat-treated condition for gas shielded metal arc welding of non alloy and fine grain steels with a minimum yield strength of up to 500 MPa or a minimum tensile strength of up to 570 MPa.

Adopted with national modifications from ISO 14341:2010.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) [{{ linkText }}](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 14341:2012 Welding consumables – Wire electrodes and weld deposits for gas shielded metal arc welding of non alloy and fine grain steels –

Classifications

This document is CITED BY:

- [AS/NZS 1554.1:2014](#)

AS/NZS 14341:2012 is cited by AS/NZS 1554.1:2014 Structural steel welding - Part 1: Welding of steel structures

Back

AS/NZS 14341:2012 Welding consumables – Wire electrodes and weld deposits for gas shielded metal arc welding of non alloy and fine grain steels – Classifications

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for manufacturers and users on the classification of wire electrodes and weld deposits in the as-welded condition and in the post-weld heat-treated condition for gas shielded metal arc welding of non alloy and fine grain steels with a minimum yield strength of up to 500 MPa or a minimum tensile strength of up to 570 MPa.

Adopted with national modifications from ISO 14341:2010.

[View on Information Provider website](#)

[AS/NZS 14341:2012 Welding consumables – Wire electrodes and weld deposits for gas shielded metal arc welding of non alloy and fine grain steels – Classifications](#)

Description

This Standard specifies requirements for manufacturers and users on the classification of wire electrodes and weld deposits in the as-welded condition and in the post-weld heat-treated condition for gas shielded metal arc welding of non alloy and fine grain steels with a minimum yield strength of up to 500 MPa or a minimum tensile strength of up to 570 MPa.

Adopted with national modifications from ISO 14341:2010.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 14341:2012 Welding consumables – Wire electrodes and weld deposits for gas shielded metal arc welding of non alloy and fine grain steels – Classifications

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)