

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

NZS/AS 1530.1:1994 (R2016) Methods for fire tests on building materials, components and structures - Part 1: Combustibility test for materials

[View on Information Provider website](#)

Abbreviation

NZS/AS 1530.1:1994 (R2016)

Valid from

21/03/1994

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 42 documents \(show Citations\)](#)

Cites

[This resource cites 1 document \(show Citations\)](#)

Description

This Standard sets out a test method for determining the combustibility of building materials and is one of a series of test methods for evaluating the potential fire hazard of building products.

This fire test was developed for use by those responsible for selection of construction materials which, although not completely inert, produce only a limited amount of heat and flame when exposed to temperatures of approximately 750C.

This revision aligns the test method more closely with ISO 1182:1990 but specifies combustibility criteria necessary for regulatory purposes.

Scope

This Standard specifies a test method for the determination of the combustibility of a building material within the criteria given in Clause 3.4.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

This resource is cited by:

NZS/AS 1530.1:1994 (R2016) Methods for fire tests on building materials, components and structures - Part 1: Combustibility test for materials

This document is CITED BY:

- [C/AS1 \(Amendment 1, Errata 1\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS1: Buildings with Sleeping (residential) and Outbuildings (Risk Group SH) from 10/04/2012

- [C/AS1 \(Amendment 3\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS1: Buildings with Sleeping (residential) and Outbuildings (Risk Group SH) from 10/04/2012

- [C/AS1 \(First Edition\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS1: Buildings with Sleeping (residential) and Outbuildings (Risk Group SH) from 10/04/2012

- [C/AS1 \(First edition, amendment 4\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS1: Buildings with Sleeping (residential) and Outbuildings (Risk Group SH) from 10/04/2012

- [C/AS1 \(Amendment 2\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS1: Buildings with Sleeping (residential) and Outbuildings (Risk Group SH) from 10/04/2012

- [C/AS2 \(First Edition, Amendment 1 \(Errata 1 - 22/10/2019\)\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS2: Buildings other than Risk Group SH from 27/06/2019

- [C/AS2 \(First edition, amendment 4\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS2: Buildings with Sleeping (non institutional) (Risk Group SM) from 10/04/2012

- [C/AS2 \(Amendment 2\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS2: Buildings with Sleeping (non institutional) (Risk Group SM) from 10/04/2012

- [C/AS2 \(Amendment 1, Errata 1\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS2: Buildings with Sleeping (non institutional) (Risk Group SM) from 10/04/2012

- [C/AS2 \(Amendment 3\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS2: Buildings with Sleeping (non institutional) (Risk Group SM) from 10/04/2012

- [C/AS2 \(First Edition\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS2: Buildings with Sleeping (non institutional) (Risk Group SM) from 10/04/2012

- [C/AS3 \(Amendment 1, Errata 1.\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided

(Risk Group SI) from 10/04/2012

- [C/AS3 \(Amendment 3\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided (Risk Group SI) from 10/04/2012

- [C/AS3 \(First edition, amendment 4\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided (Risk Group SI) from 10/04/2012

- [C/AS3 \(First Edition\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided (Risk Group SI) from 10/04/2012

- [C/AS3 \(Amendment 2\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided (Risk Group SI) from 10/04/2012

- [C/AS4 \(Amendment 2\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS4: Buildings with Public Access and Educational Facilities (Risk Group CA) from 10/04/2012

- [C/AS4 \(Amendment 1, Errata 1\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS4: Buildings with Public Access and Educational Facilities (Risk Group CA) from 10/04/2012

- [C/AS4 \(Amendment 3\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS4: Buildings with Public Access and Educational Facilities (Risk Group CA) from 10/04/2012

- [C/AS4 \(First edition, amendment 4\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS4: Buildings with Public Access and Educational Facilities (Risk Group CA) from 10/04/2012

- [C/AS4 \(First Edition\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS4: Buildings with Public Access and Educational Facilities (Risk Group CA) from 10/04/2012

- [C/AS5 \(Amendment 1, Errata 1.\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS5: Buildings used for Business, Commercial and Low Level Storage (Risk Group WB) from 10/04/2012

- [C/AS5 \(First edition, amendment 4\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS5: Buildings used for Business, Commercial and Low Level Storage (Risk Group WB) from 10/04/2012

- [C/AS5 \(Amendment 3\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS5: Buildings used for Business, Commercial and Low Level Storage (Risk Group WB) from 10/04/2012

- [C/AS5 \(First Edition\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS5: Buildings used for Business, Commercial and Low Level Storage (Risk Group WB) from 10/04/2012

- [C/AS5 \(Amendment 2\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS5: Buildings used for Business, Commercial and Low Level Storage (Risk Group WB) from 10/04/2012

- [C/AS6 \(Amendment 2\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS6: Buildings used for High Level Storage and Other High Risk Purposes (Risk Group WS) from 10/04/2012

- [C/AS6 \(First edition, amendment 4\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS6: Buildings used for High Level Storage and Other High Risk Purposes (Risk Group WS) from 10/04/2012

- [C/AS6 \(First Edition\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS6: Buildings used for High Level Storage and Other High Risk Purposes (Risk Group WS) from 10/04/2012

- [C/AS6 \(Amendment 3.\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Acceptable Solution C/AS6: Buildings used for High Level Storage and Other High Risk Purposes (Risk Group WS) from 10/04/2012

- [C/VM2 \(First Edition\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Verification Method C/VM2: Framework for Fire Safety Design from 10/04/2012

- [C/VM2 \(First Edition, Amendment 2, Errata 2\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Verification Method C/VM2: Framework for Fire Safety Design from 10/04/2012

- [C/VM2 \(First Edition, Amendment 1, Errata 1\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Verification Method C/VM2: Framework for Fire Safety Design from 10/04/2012

- [C/VM2 \(First Edition, Amendment 3\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Verification Method C/VM2: Framework for Fire Safety Design from 10/04/2012

- [C/VM2 \(First edition, amendment 4\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Verification Method C/VM2: Framework for Fire Safety Design from 10/04/2012

- [C/VM2 \(First edition, Amendment 5\)](#)

NZS/AS 1530.1:1994 (R2016) is cited by Verification Method C/VM2: Framework for Fire Safety Design from 10/04/2012

- [AS 1530.4-2005](#)

NZS/AS 1530.1:1994 (R2016) is cited by AS 1530.4-2005 Methods for fire tests on building materials, components and structures. Part 4: Fire-resistance test of elements of construction

- [AS 1668.2-2002](#)

NZS/AS 1530.1:1994 (R2016) is cited by AS 1668.2-2002 The use of ventilation and air-conditioning in buildings. Part 2 Ventilation design for indoor air contaminant control

- [AS/NZS 1668.1:1998](#)

NZS/AS 1530.1:1994 (R2016) is cited by AS/NZS 1668.1:1998 The use of ventilation and air conditioning in buildings - Fire and smoke control in multi-compartment buildings

- [AS/NZS 5601.1:2010](#)

NZS/AS 1530.1:1994 (R2016) is cited by AS/NZS 5601.1:2010 Gas installations - Part 1: General installations

- [AS/NZS 5601.1:2013](#)

NZS/AS 1530.1:1994 (R2016) is cited by AS/NZS 5601.1:2013 Gas installations - General installations

- [NZS 4520:2010](#)

NZS/AS 1530.1:1994 (R2016) is cited by NZS 4520:2010 Fire resistant doorsets

Back

NZS/AS 1530.1:1994 (R2016) Methods for fire tests on building materials, components and structures - Part 1: Combustibility test for materials

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard sets out a test method for determining the combustibility of building materials and is one of a series of test methods for evaluating the potential fire hazard of building products.

This fire test was developed for use by those responsible for selection of construction materials which, although not completely inert, produce only a limited amount of heat and flame when exposed to temperatures of approximately 750C.

This revision aligns the test method more closely with ISO 1182:1990 but specifies combustibility criteria necessary for regulatory purposes.

[View on Information Provider website](#)

[NZS/AS 1530.1:1994 \(R2016\) Methods for fire tests on building materials, components and structures - Part 1: Combustibility test for materials](#)

Description

This Standard sets out a test method for determining the combustibility of building materials and is one of a series of test methods for evaluating the potential fire hazard of building products.

This fire test was developed for use by those responsible for selection of construction materials which, although not completely inert, produce only a limited amount of heat and flame when exposed to temperatures of approximately 750C.

This revision aligns the test method more closely with ISO 1182:1990 but specifies combustibility criteria necessary for regulatory purposes.

[View on Information Provider website](#)

This resource cites:

NZS/AS 1530.1:1994 (R2016) Methods for fire tests on building materials, components and structures - Part 1: Combustibility test for materials

This document CITES:

Australian Standards

- [AS 2484.1-1990 \(R2016\)](#)

NZS/AS 1530.1:1994 (R2016) cites AS 2484.1-1990 (R2016) Fire - Glossary of terms - Part 1: Fire tests

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)