

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)
[Citations](#)

AS/NZS 1604.2:2012 Specification for preservative treatment - Part 2: Reconstituted wood-based products

[View on Information Provider website](#)

Abbreviation

AS/NZS 1604.2:2012

Amendment

Amendment 1 - incorporated

Valid from

26/11/2012

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies requirements for preservative treatment of reconstituted woodbased products, including particleboard, fibreboard, and oriented strand products, and combinations of these materials.

It specifies the preservative penetration pattern and the preservative retention requirements suitable for each hazard class.

Scope

This Standard does not cover grade or seasoning condition.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1604.2:2012 Specification for preservative treatment - Part 2: Reconstituted wood-based products

This document is CITED BY:

- [AS/NZS 3500.4:2015](#)

AS/NZS 1604.2:2012 is cited by AS/NZS 3500.4:2015 Plumbing and drainage - Heated water services

- [NZS 3640:2003](#)

AS/NZS 1604.2:2012 is cited by NZS 3640:2003 Chemical preservation of round and sawn timber

Back

AS/NZS 1604.2:2012 Specification for preservative treatment - Part 2: Reconstituted wood-based products

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for preservative treatment of reconstituted woodbased products, including particleboard, fibreboard, and oriented strand products, and combinations of these materials.

It specifies the preservative penetration pattern and the preservative retention requirements suitable for each hazard class.

[View on Information Provider website](#)

[AS/NZS 1604.2:2012 Specification for preservative treatment - Part 2: Reconstituted wood-based products](#)

Description

This Standard specifies requirements for preservative treatment of reconstituted woodbased products, including particleboard, fibreboard, and oriented strand products, and combinations of these materials.

It specifies the preservative penetration pattern and the preservative retention requirements suitable for each hazard class.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1604.2:2012 Specification for preservative treatment - Part 2: Reconstituted wood-based products

This resource does not CITE any other resources.

Back

Close

Table of Contents

Section 1 Scope And General

1.1 Scope

1.2 Application

1.3 Normative References

1.4 Definitions

1.5 Timber Preservatives

1.6 Product Requirements

1.7 Selection Of Hazard Class

1.8 Preservative Treatment

1.9 Use In New Zealand

Section 2 Hazard Classes H1, H2 And H3

2.1 Scope Of Section

2.2 Preservative Penetration Requirement

2.3 Preservative Retention Requirement

2.4 Use Of TBTN And TBTO-Hazard Class H3 Only

Section 3 Marking

3.1 Legible Marking

3.2 Marking Information

3.3 Layout Of Brand

3.4 Warning Label-Envelope Penetration

3.5 Use Restriction

3.6 Compliance Determination

Appendix A - Guide To Hazard Classifications For Various End-Use Applications

Appendix B - Method Of Selection And Preparation Of Test Sample For Determination Of Penetration

Bibliography

[Save](#)

[Feedback](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)