

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 2269.2:2007 Plywood - Structural - Determination of structural properties - Evaluation methods

[View on Information Provider website](#)

Abbreviation

AS/NZS 2269.2:2007

Valid from

24/05/2007

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies a parametric method of calculation based on lognormal distribution for determining the mean and 5th percentile values for structural plywood from test results generated in accordance with AS/NZS 2269.1. Non-parametric methods may also be used. Based on EN 1058 and prEN 14358.

Note: This Standard does not provide design values. In the case of Australia and New Zealand, the values obtained in this Standard should be processed in accordance with AS/NZS 4063 for characteristic properties and AS 1720.1 or NZS 3603 for design values.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 2269.2:2007 Plywood - Structural - Determination of structural properties - Evaluation methods

This document is CITED BY:

- [AS/NZS 2269.0.2008](#)

AS/NZS 2269.2:2007 is cited by AS/NZS 2269.0.2008 Plywood - Structural - Specifications

- [NZS 3604:2011](#)

AS/NZS 2269.2:2007 is cited by NZS 3604:2011 Timber-framed buildings

Back

AS/NZS 2269.2:2007 Plywood - Structural - Determination of structural properties - Evaluation methods

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies a parametric method of calculation based on lognormal distribution for determining the mean and 5th percentile values for structural plywood from test results generated in accordance with AS/NZS 2269.1. Non-parametric methods may also be used. Based on EN 1058 and prEN 14358.

Note: This Standard does not provide design values. In the case of Australia and New Zealand, the values obtained in this Standard should be processed in accordance with AS/NZS 4063 for characteristic properties and AS 1720.1 or NZS 3603 for design values.

[View on Information Provider website](#)

[AS/NZS 2269.2:2007 Plywood - Structural - Determination of structural properties - Evaluation methods](#)

Description

This Standard specifies a parametric method of calculation based on lognormal distribution for determining the mean and 5th percentile values for structural plywood from test results generated in accordance with AS/NZS 2269.1. Non-parametric methods may also be used. Based on EN 1058 and prEN 14358.

Note: This Standard does not provide design values. In the case of Australia and New Zealand, the values obtained in this Standard should be processed in accordance with AS/NZS 4063 for characteristic properties and AS 1720.1 or NZS 3603 for design values.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 2269.2:2007 Plywood - Structural - Determination of structural properties - Evaluation methods

This resource does not CITE any other resources.

Back

Close

1 Scope

2 Referenced Documents

3 Definitions

4 Notation

5 Calculation Of Mean, 5th Percentile Value And Coefficient Of Variation From Test Results

6 Report

Appendix A - Estimation Of Mean Value, 5th Percentile Value, And Coefficient Of Variation

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)