

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

Standard Methods for the Examination of Water and Waste Water - Part 2540 Solids (2012)

[View on Information Provider website](#)

Abbreviation

2540 Solids (2012)

Valid from

05/12/2012

Information provider

IHS Markit

Author

American Public Health Association, American Waterworks Association and Water Environment Federation

Information type

Other Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

The introduction to this section offers definitions for total solids, fixed and volatile solids, and settleable solids. Sources of error and variability in the methods are explained. Sample handling and preservation are given along with a guide for which method to use for particular types of waters.

Methods described in this document are:

- 2540B gives the method for total solids dried at 103-105°C;
- 2540C gives the method for total dissolved solids dried at 180°C;
- 2540D for total suspended solids dried at 103-105°C;
- 2540E for fixed and volatile solids ignited at 550°C;
- 2540F for settleable solids; and,
- 2540G for total, fixed, and volatile solids in solid and semisolid samples.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

Standard Methods for the Examination of Water and Waste Water - Part 2540 Solids (2012)

This document is CITED BY:

- [AS/NZS 2280:2014](#)

2540 Solids (2012) is cited by AS/NZS 2280: 2014 Ductile iron pipes and fittings

Back

Standard Methods for the Examination of Water and Waste Water - Part 2540 Solids (2012)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

The introduction to this section offers definitions for total solids, fixed and volatile solids, and settleable solids. Sources of error and variability in the methods are explained. Sample handling and preservation are given along with a guide for which method to use for particular types of waters.

Methods described in this document are:

- 2540B gives the method for total solids dried at 103-105°C;
- 2540C gives the method for total dissolved solids dried at 180°C;
- 2540D for total suspended solids dried at 103-105°C;
- 2540E for fixed and volatile solids ignited at 550°C;
- 2540F for settleable solids; and,
- 2540G for total, fixed, and volatile solids in solid and semisolid samples.

[View on Information Provider website](#)

[Standard Methods for the Examination of Water and Waste Water - Part 2540 Solids \(2012\)](#)

Description

The introduction to this section offers definitions for total solids, fixed and volatile solids, and settleable solids. Sources of error and variability in the methods are explained. Sample handling and preservation are given along with a guide for which method to use for particular types of waters.

Methods described in this document are:

- 2540B gives the method for total solids dried at 103-105°C;
- 2540C gives the method for total dissolved solids dried at 180°C;
- 2540D for total suspended solids dried at 103-105°C;
- 2540E for fixed and volatile solids ignited at 550°C;
- 2540F for settleable solids; and,
- 2540G for total, fixed, and volatile solids in solid and semisolid samples.

[View on Information Provider website](#)

This resource does not cite any other resources.

Standard Methods for the Examination of Water and Waste Water - Part 2540 Solids (2012)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)