

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 2588:1998 (R2016) Gypsum plasterboard

[View on Information Provider website](#)

Abbreviation

AS/NZS 2588:1998

Valid from

04/02/1998

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Cites

[This resource cites 4 documents \(show Citations\)](#)

Description

This Standard specifies requirements for gypsum plasterboard intended for use in buildings as a lining material for walls, ceilings and partitions and providing a surface suitable for receiving decorative treatments.

It includes standard, bracing, water resistant and fire-resistant grades of gypsum plasterboard.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 2588:1998 (R2016) Gypsum plasterboard

This document is CITED BY:

- [SH/AS1 \(First edition, unamended\)](#)

AS/NZS 2588:1998 is cited by SH/AS1 Simple House Acceptable Solution

Back

AS/NZS 2588:1998 (R2016) Gypsum plasterboard

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for gypsum plasterboard intended for use in buildings as a lining material for walls, ceilings and partitions and providing a surface suitable for receiving decorative treatments.

It includes standard, bracing, water resistant and fire-resistant grades of gypsum plasterboard.

[View on Information Provider website](#)

[AS/NZS 2588:1998 \(R2016\) Gypsum plasterboard](#)

Description

This Standard specifies requirements for gypsum plasterboard intended for use in buildings as a lining material for walls, ceilings and partitions and providing a surface suitable for receiving decorative treatments.

It includes standard, bracing, water resistant and fire-resistant grades of gypsum plasterboard.

[View on Information Provider website](#)

This resource cites:

AS/NZS 2588:1998 (R2016) Gypsum plasterboard

This document CITES:

Australian Standards

- [AS 1199-1988](#)

AS/NZS 2588:1998 cites AS 1199-1988 Sampling procedures and tables for inspection by attributes

- [AS 1399-1990](#)

AS/NZS 2588:1998 cites AS 1399-1990 Guide to AS 1199 - Sampling procedures and tables for inspection by attributes

- [AS 2193-1978](#)

AS/NZS 2588:1998 cites AS 2193-1978 Methods for calibration and grading of force-measuring systems of testing machines

- [AS 4055-1992](#)

AS/NZS 2588:1998 cites AS 4055-1992 Wind loads for housing

Back

Close

Table of Contents

1 Scope

2 Application

3 Referenced Documents

4 Definitions

4.1 Edge

4.2 End

4.3 Gypsum Plasterboard

4.4 Recessed Edge

5 Classification

6 Dimensions

6.1 Thickness

6.2 Width

6.3 Length

6.4 Squareness

7 Edge Finish

8 Suitability For Decoration

9 Performance Requirements

9.1 Gypsum Plasterboard

9.2 Water Resistant Grade Gypsum Plasterboard

10 Marking

Appendices

Appendix A - Means For Demonstrating Compliance With This Standard

Appendix B - Method For Determining Thickness

Appendix C - Method For Determining Bending Strength

Appendix D - Method For Determining Edge Hardness

Appendix E - Method For Determining Nail Pull Resistance

Appendix F - Method For Determining Bond Strength In Tension

Appendix G - Method For Determining Humidified Deflection

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)