# AS/NZS 2648.1:1995 Underground marking tape - Non-detectable tape



Abbreviation
AS/NZS 2648.1:1995
Valid from
04/04/1995

---

Information provider
Standards New Zealand
Author
Standards New Zealand, Standards Australia
Information type
New Zealand Standard
Format
PDF

---

Cited By
**This resource is cited by 14 documents (show Citations)**

---

**Description**

This Standard specifies requirements for printed underground marking tape suitable for use in conjunction with underground services as a means of indicating the proximity of a service. It applies to tape which is not detectable by metal detectors (see Note 1).

**Notes**:

1. Some authorities install a wire line in conjunction with the tape.
2. Advisory information on alternative methods of determining compliance of a 'lot' with this Standard is given in Appendix A.

**For assistance with locating previous versions, please contact the information provider.**

Table of Contents View on Information Provider website {{ linkText }}

**For assistance with locating previous versions, please contact the information provider.**

**This resource is cited by:**

# AS/NZS 2648.1:1995 Underground marking tape - Non-detectable tape

**This document is CITED BY:**

- AS/NZS 1547:2000

  AS/NZS 2648.1:1995 is cited by AS/NZS 1547:2000 On-site domestic wastewater management

- AS/NZS 1547:2012

  AS/NZS 2648.1:1995 is cited by AS/NZS 1547:2012 On-site domestic wastewater management

- AS/NZS 2033:2008

  AS/NZS 2648.1:1995 is cited by AS/NZS 2033:2008 Installation of polyethylene pipe systems

- AS/NZS 3000:2007

  AS/NZS 2648.1:1995 is cited by AS/NZS 3000:2007 Electrical installations (known as the Australian/New Zealand Wiring Rules)

- AS/NZS 3500.1:2003

  AS/NZS 2648.1:1995 is cited by AS/NZS 3500.1:2003 Plumbing and drainage - Water services

- AS/NZS 3500.1:2015

  AS/NZS 2648.1:1995 is cited by AS/NZS 3500.1:2015 Plumbing and drainage - Part 1: Water services

- AS/NZS 3500.1:2018

  AS/NZS 2648.1:1995 is cited by AS/NZS 3500.1:2018 Plumbing and drainage Part 1: Water services

- AS/NZS 3500.2:2003

  AS/NZS 2648.1:1995 is cited by AS/NZS 3500.2:2003 Plumbing and drainage - Sanitary plumbing and drainage

- AS/NZS 3500.2:2015

  AS/NZS 2648.1:1995 is cited by AS/NZS 3500.2:2015 Plumbing and drainage - Part 2: Sanitary plumbing and drainage

- AS/NZS 3500.2:2018

  AS/NZS 2648.1:1995 is cited by AS/NZS 3500.2:2018 Plumbing and drainage Part 2: Sanitary plumbing and drainage

- AS/NZS 3500.3:2018

  AS/NZS 2648.1:1995 is cited by AS/NZS 3500.3:2018 Plumbing and drainage Part 3: Stormwater drainage

- AS/NZS 5601.1:2010

  AS/NZS 2648.1:1995 is cited by AS/NZS 5601.1:2010 Gas installations - Part 1: General installations

- AS/NZS 5601.1:2013

  AS/NZS 2648.1:1995 is cited by AS/NZS 5601.1:2013 Gas installations - General installations

- NZS 5261:2003

  AS/NZS 2648.1:1995 is cited by NZS 5261:2003 Gas installation

Back

# AS/NZS 2648.1:1995 Underground marking tape - Non-detectable tape

Show what documents this resource is CITED BY | Show what documents this resource CITES

**Description**

This Standard specifies requirements for printed underground marking tape suitable for use in conjunction with underground services as a means of indicating the proximity of a service. It applies to tape which is not detectable by metal detectors (see Note 1).

**Notes**:

1. Some authorities install a wire line in conjunction with the tape.
2. Advisory information on alternative methods of determining compliance of a 'lot' with this Standard is given in Appendix A.

View on Information Provider website

**AS/NZS 2648.1:1995 Underground marking tape - Non-detectable tape**

**Description**

This Standard specifies requirements for printed underground marking tape suitable for use in conjunction with underground services as a means of indicating the proximity of a service. It applies to tape which is not detectable by metal detectors (see Note 1).

**Notes**:

1. Some authorities install a wire line in conjunction with the tape.
2. Advisory information on alternative methods of determining compliance of a 'lot' with this Standard is given in Appendix A.

View on Information Provider website

**This resource does not cite any other resources.**

# AS/NZS 2648.1:1995 Underground marking tape - Non-detectable tape

**This resource does not CITE any other resources.**

Back

Close

**Table of Contents**

## 1 Scope

## 2 Referenced Documents

## 3 Definition

## 4 Materials

## 5 Width

## 6 Colour

## 7 Roll Former

## 8 Conditioning For Testing

## 9 Properties

## 10 Marking

# Appendix A Means For Demonstrating Compliance With This Standard

Print Save Email
Feedback

- Contact us
- Privacy policy
- Disclaimer
- Copyright

Feedback