

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## AS/NZS 3518:2013 Acrylonitrile butadiene styrene (ABS) compounds; pipes and fittings for pressure applications

[View on Information Provider website](#)

### Abbreviation

AS/NZS 3518:2013

### Amendment

A1 - incorporated

### Valid from

19/02/2013

### Replaces

[AS/NZS 3518:2004](#)

---

### Information provider

Standards New Zealand

### Author

Standards New Zealand, Standards Australia

### Information type

New Zealand Standard

### Format

PDF

---

### Cited By

[This resource is cited by 6 documents \(show Citations\)](#)

### Cites

[This resource cites 45 documents \(show Citations\)](#)

---

### Description

This Standard specifies the performance requirements for acrylonitrile butadiene styrene (ABS) compounds (ABS 120, ABS 140, ABS 160 and ABS 180), pipes and fittings for the conveyance of liquids under pressure in applications above and below ground.

### Scope

The Standard contains dimensions for three ranges of pipe sizes, Series 1, Series 2 and Series 3.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## AS/NZS 3518:2013 Acrylonitrile butadiene styrene (ABS)

# compounds; pipes and fittings for pressure applications

## This document is CITED BY:

- [G13/AS2 \(Second Edition, Amendment 6\)](#)  
AS/NZS 3518:2013 is cited by Acceptable Solution G13/AS2: Drainage from 01/01/2017
- [G13/AS2 \(Second Edition, Amendment 8\)](#)  
AS/NZS 3518:2013 is cited by Acceptable Solution G13/AS2: Drainage from 01/01/2017
- [G13/AS2 \(Second Edition, Amendment 7\)](#)  
AS/NZS 3518:2013 is cited by Acceptable Solution G13/AS2: Drainage from 01/01/2017
- [G14/VM1 \(Second Edition, Amendment 6\)](#)  
AS/NZS 3518:2013 is cited by Verification Method G14/VM1: Industrial Liquid Waste from 01/01/2017
- [AS/NZS 3500.1:2015](#)  
AS/NZS 3518:2013 is cited by AS/NZS 3500.1:2015 Plumbing and drainage - Part 1: Water services
- [AS/NZS 3500.1:2018](#)  
AS/NZS 3518:2013 is cited by AS/NZS 3500.1:2018 Plumbing and drainage Part 1: Water services

Back

# AS/NZS 3518:2013 Acrylonitrile butadiene styrene (ABS) compounds; pipes and fittings for pressure applications

Show what documents this resource is CITED BY

Show what documents this resource CITES

## Description

This Standard specifies the performance requirements for acrylonitrile butadiene styrene (ABS) compounds (ABS 120, ABS 140, ABS 160 and ABS 180), pipes and fittings for the conveyance of liquids under pressure in applications above and below ground.

[View on Information Provider website](#)

[AS/NZS 3518:2013 Acrylonitrile butadiene styrene \(ABS\) compounds; pipes and fittings for pressure applications](#)

## Description

This Standard specifies the performance requirements for acrylonitrile butadiene styrene (ABS) compounds (ABS 120, ABS 140, ABS 160 and ABS 180), pipes and fittings for the conveyance of liquids under pressure in applications above and below ground.

[View on Information Provider website](#)

## This resource cites:

# AS/NZS 3518:2013 Acrylonitrile butadiene styrene (ABS) compounds; pipes and fittings for pressure applications

## This document CITES:

### New Zealand Standards

- [AS/NZS 1462.11:1996](#)  
AS/NZS 3518:2013 cites AS/NZS 1462.11:1996 (R2017) Methods of test for plastics pipes and fittings -

Method 11: Method for high temperature stress-relief testing of fittings

- [AS/NZS 1462.16:2006](#)

AS/NZS 3518:2013 cites AS/NZS 1462.16:2006 (R2017) Methods of test for plastics pipes and fittings - Method 16: Method for high temperature testing of pipe

- [AS/NZS 1462.1:2001](#)

AS/NZS 3518:2013 cites AS/NZS 1462.1:2001 Methods of test for plastics pipes and fittings - Method 1: Method for determining the dimensions of pipes and fittings

- [AS/NZS 1462.28:2003](#)

AS/NZS 3518:2013 cites AS/NZS 1462.28:2003 (R2017) Methods of test for plastics pipes and fittings - Method 28: Method for the assessment of the degree of pigment or carbon black dispersion in polyolefin pipes, fittings and compounds

- [AS/NZS 1462.29:2006](#)

AS/NZS 3518:2013 cites AS/NZS 1462.29:2006 Methods of test for plastics pipes and fittings - Method 29: Plastics piping and ducting systems - Determination of the long-term hydrostatic strength of thermoplastics materials in pipe form by extrapolation

- [AS/NZS 1462.3:1998](#)

AS/NZS 3518:2013 cites AS/NZS 1462.3:1998 (R2017) Methods of test for plastics pipes and fittings - Method 3: Method for determining the impact characteristics of pipes

- [AS/NZS 1462.4:2002](#)

AS/NZS 3518:2013 cites AS/NZS 1462.4:2002 (R2017) Methods of test for plastics pipes and fittings - Method 4: Method of determining reversion of UPVC pipes

- [AS/NZS 1462.6:2008](#)

AS/NZS 3518:2013 cites AS/NZS 1462.6:2008 (R2017) Methods of test for plastics pipes and fittings - Method 6: Thermoplastics pipes, fittings and assemblies for the transport of fluids under pressure - Resistance to internal pressure

- [AS/NZS 1462.8:2008](#)

AS/NZS 3518:2013 cites AS/NZS 1462.8:2008 (R2017) Methods of test for plastics pipes and fittings - Method 8: Method of testing the leaktightness of assemblies

- [AS/NZS 1477:2006](#)

AS/NZS 3518:2013 cites AS/NZS 1477:2006 PVC pipes and fittings for pressure applications

- [AS/NZS 2280:2012](#)

AS/NZS 3518:2013 cites AS/NZS 2280:2012 Ductile iron pipes and fittings

- [AS/NZS 2544:1995](#)

AS/NZS 3518:2013 cites AS/NZS 2544:1995 Grey iron pressure fittings

- [AS/NZS 2566.2:2002](#)

AS/NZS 3518:2013 cites AS/NZS 2566.2:2002 (R2016) Buried Flexible pipelines - Installation

- [AS/NZS 3500.0:2003](#)

AS/NZS 3518:2013 cites AS/NZS 3500.0:2003 Plumbing and drainage - Glossary of terms

- [AS/NZS 3690:2009](#)

AS/NZS 3518:2013 cites AS/NZS 3690:2009 Installation of ABS pipe systems

- [AS/NZS 3879:2006](#)

AS/NZS 3518:2013 cites AS/NZS 3879:2006 Solvent cements and priming fluids for PVC (PVC-U and PVC-M) and ABS pipes and fittings

- [AS/NZS 4020:2005](#)  
AS/NZS 3518:2013 cites AS/NZS 4020:2005 Testing of products for use in contact with drinking water
- [AS/NZS 4087:2011](#)  
AS/NZS 3518:2013 cites AS/NZS 4087:2011 Metallic flanges for waterworks purposes
- [AS/NZS 4331.1:1995](#)  
AS/NZS 3518:2013 cites AS/NZS 4331.1:1995 (R2016) Metallic flanges - Steel flanges
- [AS/NZS 4331.2:1995](#)  
AS/NZS 3518:2013 cites AS/NZS 4331.2:1995 (R2016) Metallic flanges - Cast iron flanges
- [AS/NZS 4331.3:1995](#)  
AS/NZS 3518:2013 cites AS/NZS 4331.3:1995 (R2016) Metallic flanges - Copper alloy and composite flanges
- [AS/NZS 4441:2008](#)  
AS/NZS 3518:2013 cites AS/NZS 4441:2008 Oriented PVC (PVC-O) pipes for pressure applications
- [AS/NZS 4765:2007](#)  
AS/NZS 3518:2013 cites AS/NZS 4765:2007 Modified polyvinyl chloride (PVC-M) pipes for pressure applications
- [SANZ/SAA HB 18.28:1991](#)  
AS/NZS 3518:2013 cites SANZ/SAA HB 18.28:1991 Guidelines for third-party certification and accreditation - Guide 28 - General rules for a model third-party certification system for products

#### Australian Standards

- [AS 1199.1-2003 \(R2016\)](#)  
AS/NZS 3518:2013 cites AS 1199.1-2003 (R2016) Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection
- [AS 1646-2007](#)  
AS/NZS 3518:2013 cites AS 1646-2007 (R2018) Elastomeric seals for waterworks purposes
- [AS 1722.1-1975](#)  
AS/NZS 3518:2013 cites AS 1722.1-1975 Pipe threads of Whitworth form - Part 1: Sealing pipe threads (metric units)
- [AS 1722.2-1992](#)  
AS/NZS 3518:2013 cites AS 1722.2-1992 (R2017) Pipe threads of Whitworth form - Part 2: Fastening pipe threads
- [AS 2129-2000](#)  
AS/NZS 3518:2013 cites AS 2129-2000 (R2016) Flanges for pipes valves and fittings
- [AS 2888.1-2002](#)  
AS/NZS 3518:2013 cites AS 2888.1-2002 (R2017) Methods of testing plastics waste fittings -Method 1: Method of determining the suitability of connection threads of BSP form

#### Other

- [HB 18.28-2005](#)  
AS/NZS 3518:2013 cites HB 18.28-2005 Conformity assessment - Guidance on a third-party certification system for products

- [ISO 12162:2009](#)

AS/NZS 3518:2013 cites ISO 12162:2009 Thermoplastics materials for pipes and fittings for pressure applications - Classification, designation and design coefficient

- [ISO 15493:2003](#)

AS/NZS 3518:2013 cites ISO 15493:2003 Plastics piping systems for industrial applications - Acrylonitrile-butadiene-styrene (ABS), unplasticized poly(vinyl chloride) (PVC-U) and chlorinated poly(vinyl chloride) (PVC-C) - Specifications for components and the system - Metric

- [ISO 161-1:1996](#)

AS/NZS 3518:2013 cites ISO 161-1:1996 Thermoplastics pipes for the conveyance of fluids - Nominal outside diameters and nominal pressures - Part 1: Metric series

- [ISO 161-2:1996](#)

AS/NZS 3518:2013 cites ISO 161-2:1996 Thermoplastics pipes for the conveyance of fluids - Nominal outside diameters and nominal pressures Part 2: Inch-based series

- [ISO 18553:2002](#)

AS/NZS 3518:2013 cites ISO 18553:2002 Method for the assessment of the degree of pigment or carbon black dispersion in polyolefin pipes, fittings and compounds

- [ISO 2859-1:1999](#)

AS/NZS 3518:2013 cites ISO 2859-1:1999 Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection

- [ISO 3951-1:2005](#)

AS/NZS 3518:2013 cites ISO 3951-1:2005 Sampling procedures for inspection by variables - Part 1: Specification for single sampling plans indexed by acceptance quality limit (AQL) for lot-by-lot inspection for a single quality characteristic and a single AQL

- [ISO 3951-2:2006](#)

AS/NZS 3518:2013 cites ISO 3951-2:2006 Sampling procedures for inspection by variables Part 2: General specification for single sampling plans indexed by acceptance quality limit (AQL) for lot-by-lot inspection of independent quality characteristics

- [ISO 3951-3:2007](#)

AS/NZS 3518:2013 cites ISO 3951-3:2007 Sampling procedures for inspection by variables - Part 3: Double sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection

- [ISO 3951-4:2011](#)

AS/NZS 3518:2013 cites ISO 3951-4:2011 Sampling procedures for inspection by variables - Part 4: Procedures for assessment of declared quality levels

- [ISO 3951-5:2006](#)

AS/NZS 3518:2013 cites ISO 3951-5:2006 Sampling procedures for inspection by variables Part 5: Sequential sampling plans indexed by acceptance quality limit (AQL) for inspection by variables (known standard deviation)

- [ISO 7245:1984](#)

AS/NZS 3518:2013 cites ISO 7245:1984 Pipes and fittings of acrylonitrile/butadiene/styrene (ABS) - General specification for moulding and extrusion materials

- [ISO 727-1:2002](#)

AS/NZS 3518:2013 cites ISO 727-1:2002 Fittings made from unplasticized poly(vinyl chloride) (PVC-U), chlorinated poly(vinyl chloride) (PVC-C) or acrylonitrile/butadiene/styrene (ABS) with plain sockets for pipes under pressure - Part 1: Metric series

- [ISO 727-2:2005](#)

AS/NZS 3518:2013 cites ISO 727-2:2005 Fittings made from unplasticized poly(vinyl chloride) (PVC-U), chlorinated poly(vinyl chloride) (PVC-C) or acrylonitrile/butadiene/styrene (ABS) with plain sockets for pipes under pressure - Part 2: Inch-based series

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)