

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

NZS 3602:2003 Timber and wood-based products for use in building

[View on Information Provider website](#) [Download this resource \(PDF, 1.4MB\)](#)

Abbreviation

NZS 3602:2003

Valid from

22/12/2003

Replaces

Information provider

Standards New Zealand

Author

Standards New Zealand

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 19 documents \(show Citations\)](#)

Cites

[This resource cites 34 documents \(show Citations\)](#)

Description

This Standard gives the requirements for timber and wood-based products for particular uses in building so that they can be expected to give acceptable performance during the life of the building.

Scope

This Standard covers the materials themselves and aspects of design and construction that are relevant to their performance in use.

Part 1 of this Standard applies to the durability performance required of wood-based products in all types of buildings, whether or not they are constructed so as to comply with NZS 3604. However, Part 1 applies only to the required characteristics of wood-based products made from the wood species specified in table 1, table 2 and table 3.

The required characteristics of wood-based products made from any other wood species (i.e. not as specified in those tables) are outside the scope of this Standard.

For assistance with locating previous versions, please contact the information provider.

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 3602:2003 Timber and wood-based products for use in building

This document is CITED BY:

- [B2/AS1 \(Second edition, Amendment 9\)](#)

NZS 3602:2003 is cited by Acceptable Solution B2/AS1: Durability from 01/04/2004

- [B2/AS1 \(Second Edition, Amendment 11\)](#)

NZS 3602:2003 is cited by Acceptable Solution B2/AS1: Durability from 01/04/2004

- [B2/AS1 \(Second edition, Amendment 8\)](#)

NZS 3602:2003 is cited by Acceptable Solution B2/AS1: Durability from 01/04/2004

- [B2/AS1 \(Second Edition, Amendment 10\)](#)

NZS 3602:2003 is cited by Acceptable Solution B2/AS1: Durability from 01/04/2004

- [B2/AS1 \(Second edition, Amendment 7\)](#)

NZS 3602:2003 is cited by Acceptable Solution B2/AS1: Durability from 01/04/2004

- [E2/AS1 \(Third Edition, Amendment 8\)](#)

NZS 3602:2003 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 6\)](#)

NZS 3602:2003 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 4\)](#)

NZS 3602:2003 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 7\)](#)

NZS 3602:2003 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 5, Errata 2\)](#)

NZS 3602:2003 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 9\)](#)

NZS 3602:2003 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 5\)](#)

NZS 3602:2003 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [SH/AS1 \(First edition, unamended\)](#)

NZS 3602:2003 is cited by SH/AS1 Simple House Acceptable Solution

- [CP01:2011 \(Errata 1 January 2015\)](#)

NZS 3602:2003 is cited by Code of Practice for Weathertight Concrete and Concrete Masonry Construction

- [NZS 3604:1999](#)

NZS 3602:2003 is cited by NZS 3604:1999 Timber framed buildings

- [NZS 3604:2011](#)

NZS 3602:2003 is cited by NZS 3604:2011 Timber-framed buildings

- [NZS 3640:2003](#)

NZS 3602:2003 is cited by NZS 3640:2003 Chemical preservation of round and sawn timber

- [NZS 4251.1:2007](#)

NZS 3602:2003 is cited by NZS 4251.1:2007 Solid plastering - Cement plaster for walls, ceilings and soffits

- [SNZ HB 8630:2004](#)

NZS 3602:2003 is cited by SNZ HB 8630:2004 Tracks and outdoor visitor structures

Back

NZS 3602:2003 Timber and wood-based products for use in building

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard gives the requirements for timber and wood-based products for particular uses in building so that they can be expected to give acceptable performance during the life of the building.

[View on Information Provider website](#) [Download this resource \(PDF, 1.4MB\)](#)

[NZS 3602:2003 Timber and wood-based products for use in building](#)

Description

This Standard gives the requirements for timber and wood-based products for particular uses in building so that they can be expected to give acceptable performance during the life of the building.

[View on Information Provider website](#) [Download this resource \(PDF, 1.4MB\)](#)

This resource cites:

NZS 3602:2003 Timber and wood-based products for use in building

This document CITES:

New Zealand Standards

- [AS/NZS 1328.1:1998](#)

NZS 3602:2003 cites AS/NZS 1328.1:1998 Glued laminated structural timber - Performance requirements and minimum production requirements

- [AS/NZS 1328.2:1998](#)

NZS 3602:2003 cites AS/NZS 1328.2:1998 Glued laminated structural timber - Guidelines for AS/NZS 1328: Part 1 for the selection, production and installation of glued laminated structural timber

- [AS/NZS 1491:1996](#)

NZS 3602:2003 cites AS/NZS 1491:1996 Finger jointed structural timber

- [AS/NZS 1604.3:2002](#)

NZS 3602:2003 cites AS/NZS 1604.3:2002 Specification for preservative treatment - Plywood

- [AS/NZS 1604.4:2002](#)

NZS 3602:2003 cites AS/NZS 1604.4:2002 Specification for preservative treatment - Part 4: Laminated veneer lumber (LVL)

- [AS/NZS 1604.5:2002](#)

NZS 3602:2003 cites AS/NZS 1604.5:2002 Specification for preservative treatment - Part 5: Glued laminated timber products

- [AS/NZS 1748:1997](#)

NZS 3602:2003 cites AS/NZS 1748:1997 Timber - Stress graded - Product requirements for mechanically stress-graded timber

- [AS/NZS 1859.1\(Int\):2001](#)

NZS 3602:2003 cites AS/NZS 1859.1(Int):2001 Reconstituted wood-based panels - Specifications - Particleboard

- [AS/NZS 1859.2\(Int\):2001](#)

NZS 3602:2003 cites AS/NZS 1859.2(Int):2001 Reconstituted wood-based panels - Specifications - Dry-processed fibreboard

- [AS/NZS 2269:1994](#)

NZS 3602:2003 cites AS/NZS 2269:1994 Plywood - Structural

- [AS/NZS 2271:1999](#)

NZS 3602:2003 cites AS/NZS 2271:1999 Plywood and blockboard for exterior use

- [AS/NZS 2311:2000](#)

NZS 3602:2003 cites AS/NZS 2311:2000 Guide to the painting of buildings

- [AS/NZS 2908.1:2000](#)

NZS 3602:2003 cites AS/NZS 2908.1:2000 Cellulose-cement products - Part 1: Corrugated sheets

- [AS/NZS 2908.2:2000](#)

NZS 3602:2003 cites AS/NZS 2908.2:2000 Cellulose-cement products - Part 2: Flat sheets

- [AS/NZS 4284:1995](#)

NZS 3602:2003 cites AS/NZS 4284:1995 Testing of building facades

- [AS/NZS 4357:1995](#)

NZS 3602:2003 cites AS/NZS 4357:1995 Structural laminated veneer lumber

- [AS/NZS 4787:2001 \(Reconfirmed 2016\)](#)

NZS 3602:2003 cites AS/NZS 4787:2001 Timber - Assessment of drying quality

- [NZS 3601:1973](#)

NZS 3602:2003 cites NZS 3601:1973 Metric dimensions for timber

- [NZS 3603:1993](#)

NZS 3602:2003 cites NZS 3603:1993 Timber structures standard

- [NZS 3604:1999](#)

NZS 3602:2003 cites NZS 3604:1999 Timber framed buildings

- [NZS 3605:2001](#)

NZS 3602:2003 cites NZS 3605:2001 Timber piles and poles for use in building

- [NZS 3606:1987](#)

NZS 3602:2003 cites NZS 3606:1987 Specification for the manufacture of glue laminated timber

- [NZS 3610:1979](#)

NZS 3602:2003 cites NZS 3610:1979 Specification for profiles of mouldings and joinery

- [NZS 3617:1979](#)

NZS 3602:2003 cites NZS 3617:1979 Specification for profiles of weatherboards, fascia boards, and flooring

- [NZS 3618:1984](#)

NZS 3602:2003 cites NZS 3618:1984 Mechanical stress grading of timber

- [NZS 3619:1979](#)

NZS 3602:2003 cites NZS 3619:1979 Specification for timber windows

- [NZS 3631:1988](#)

NZS 3602:2003 cites NZS 3631:1988 New Zealand timber grading rules

- [NZS 3640:2003](#)

NZS 3602:2003 cites NZS 3640:2003 Chemical preservation of round and sawn timber

- [NZS 7202.1:1986](#)

NZS 3602:2003 cites NZS 7202.1:1986 Synthetic resin adhesives (phenolic and aminoplastic) for wood - Specification for gap-filling adhesives

- [NZS 7202.2:1986](#)

NZS 3602:2003 cites NZS 7202.2:1986 Synthetic resin adhesives (phenolic and aminoplastic) for wood - Specification for close-contact adhesives

- [NZS 7421:1990](#)

NZS 3602:2003 cites NZS 7421:1990 Specification for installation of solid fuel burning domestic appliances

- [NZS HB 4236:2002](#)

NZS 3602:2003 cites SNZ HB 4236:2002 Masonry veneer wall cladding

Australian Standards

- [AS 1720.1:1997](#)

NZS 3602:2003 cites AS 1720.1:1997 Timber structures - Part 1: Design methods

Other

- [P21](#)

NZS 3602:2003 cites A wall bracing test and evaluation procedure, P21 (2010)

Back

Close

Part 1 Mandatory Requirements For Compliance With The Durability Provisions Of Clause B2 Of The New Zealand Building Code

101 Scope

102 Interpretation

103 General

104 Timber Species, Grade, Quality And Preservative Treatment

105 Preservative Treatment

106 Requirements For Wood-Based Building Components In Contact With The Ground, To Achieve A 50-Year Durability

107 Requirements For Wood-Based Building Components Exposed To Exterior Weather Conditions And Dampness, To Achieve A 50-Year Durability

108 Requirements For Wood-Based Building Components Protected From The Weather But Exposed To Ground Atmosphere, To Achieve A 50-Year Durability

109 Requirements For Wood-Based Building Components Not Exposed To Weather Or Ground Atmosphere But With A Risk Of Moisture Content Conducive To Decay, To Achieve A 50-Year Durability

110 Requirements For Wood-Based Building Components Protected From The Weather And In Dry Conditions And Not Exposed To Ground Atmosphere, To Achieve A 50-Year Durability

111 Requirements For Wood-Based Building Components With A 15-Year Durability

112 Requirements For Wood-Based Building Components To Achieve A 5-Year Durability

113 Use Of Table 1, Table 2 And Table 3

Part 2 Construction Provisions Outside The Mandatory Requirements Of The New Zealand Building Code

201 Purpose

202 General

203 Plywood And Laminated Veneer Lumber

204 Particleboard, Fibreboard And Other Wood-Based Panel Products

205 Moisture Content And Quality Control Requirements For Wood-Based Building Components Protected From The Weather And In Dry Conditions With A 50-Year Durability Performance

206 Moisture Content And Quality Control Requirements For Wood-Based Building Components With A 5 Or 15-Year Durability Performance

207 Protection After Installation

208 Workmanship

209 Wood-Based Components Other Than Building Components

Table

1 – Requirements For Wood-Based Building Components To Achieve A 50-Year Durability Performance

2 – Requirements For Wood-Based Building Components To Achieve A 15-Year Durability Performance

3 – Requirements For Wood-Based Building Components To Achieve A 5-Year Durability Performance

4 – Allowable Moisture Content (%)(1) At Time Of Installation Or In The Case Of Framing Timber At Time Of Enclosure

5 – Treatment Of Non-Building Wood-Based Components

Figure

1 – Examples Of Treatment Requirements For Timber-Framed Buildings

2 – Examples Where H3.1 Or Higher Treatment Level Is Required For Enclosed Exterior Elements

3 – Examples Of Low Risk Masonry Veneer Buildings

4 – Flow Chart Guiding The Use Of Tables 1, 2 And 3

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)

- [Copyright](#)

--	--	--

--

[Feedback](#)