

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

NZS 3617:1979 Specification for profiles of weatherboards, fascia boards, and flooring

Table of Contents

[View on Information Provider website](#)

{{ linkText }}

Abbreviation
NZS 3617:1979

Valid from
31/03/1979

Information provider
Standards New Zealand

Author
Standards New Zealand

Information type
New Zealand Standard

Format
PDF

Cited By
[This resource is cited by 9 documents \(show Citations\)](#)

Cites
[This resource cites 1 document \(show Citations\)](#)

Description

This Standard establishes the dressed dimensions and the moisture content at the time of machining for weatherboards, fascia boards, and strip flooring referred to in commercial transactions by the designations set out.

Profiles other than those listed may be agreed between supplier and purchaser. Care should be taken to ensure that such profiles are acceptable to any regulatory authorities, lending authorities and other interested parties.

For assistance with locating previous versions, please contact the information provider.

Table of Contents [View on Information Provider website](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 3617:1979 Specification for profiles of weatherboards, fascia boards, and flooring

This document is CITED BY:

- [E2/AS1 \(Third Edition, Amendment 8\)](#)

NZS 3617:1979 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 5\)](#)

NZS 3617:1979 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 6\)](#)

NZS 3617:1979 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 4\)](#)

NZS 3617:1979 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 7\)](#)

NZS 3617:1979 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [E2/AS1 \(Third Edition, Amendment 5, Errata 2\)](#)

NZS 3617:1979 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005

- [SH/AS1 \(First edition, unamended\)](#)

NZS 3617:1979 is cited by SH/AS1 Simple House Acceptable Solution

- [NZS 3602:2003](#)

NZS 3617:1979 is cited by NZS 3602:2003 Timber and wood-based products for use in building

- [NZS 3604:1990](#)

NZS 3617:1979 is cited by NZS 3604:1990 Code of practice for light timber frame buildings not requiring specific design

Back

NZS 3617:1979 Specification for profiles of weatherboards, fascia boards, and flooring

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard establishes the dressed dimensions and the moisture content at the time of machining for weatherboards, fascia boards, and strip flooring referred to in commercial transactions by the designations set out.

Profiles other than those listed may be agreed between supplier and purchaser. Care should be taken to ensure that such profiles are acceptable to any regulatory authorities, lending authorities and other interested parties.

[View on Information Provider website](#)

[NZS 3617:1979 Specification for profiles of weatherboards, fascia boards, and flooring](#)

Description

This Standard establishes the dressed dimensions and the moisture content at the time of machining for weatherboards, fascia boards, and strip flooring referred to in commercial transactions by the designations set out.

Profiles other than those listed may be agreed between supplier and purchaser. Care should be taken to ensure that such profiles are acceptable to any regulatory authorities, lending authorities and other interested parties.

[View on Information Provider website](#)

This resource cites:

NZS 3617:1979 Specification for profiles of weatherboards, fascia boards, and flooring

This document CITES:

- [NZS 632:1967](#)

NZS 3617:1979 cites NZS 632:1967 Specification for kiln-drying of timber

Back

Close

Table of Contents

1 Scope

2 Interpretation

3 Moisture Content

4 Profiles, Dimensions And Tolerances

5 Other Considerations

Table 1 Profiles And Types Of Board

Figure

1 150 X 25 Mm Rebated Bevel-Back Weatherboard

2 200 X 25 Mm Rebated Bevel-Back Weatherboard

3 150 X 25 Mm Plain Bevel-Back Weatherboard

4 200 X 25 Mm Plain Bevel-Back Weatherboard

5 150 X 25 Mm Vertical Shiplap Weatherboard

6 200 X 25 Mm Vertical Shiplap Weatherboard

7 150 X 25 Mm Rusticated Weatherboard

8 200 X 25 Mm Rusticated Weatherboard

9 150 X 25 Mm Fascia Board

10 200 X 25 Mm Fascia Board

11 150 X 40 Mm Fascia Board

12 200 X 40 Mm Fascia Board

13 75 X 25 Mm Tongue And Groove Flooring

14 100 X 25 Mm Tongue And Groove Flooring

15 75 X 25 Mm Tongue And Groove Secret Nail Flooring

16 75 X 40 Mm Tongue And Groove Secret Nail Flooring

17 100 X 40 Mm Tongue And Groove Secret Nail Flooring

18 100 X 50 Mm Tongue And Groove Secret Nail Flooring

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)