Ski	p to	main	content	Ski	o to	primar	y navio	ation

Menu

- Home Home
- <u>About this portal</u>
- Latest updates

Print Save Email
Resource detail
Citations

NZS 3622:2004 Verification of timber properties

Table of Contents

View on Information Provider website {{ linkText }}

Abbreviation NZS 3622:2004 Amendment Amendment 1 - incorporated, published 30/03/2005. Valid from 28/10/2004

Information provider Standards New Zealand Author Standards New Zealand Information type New Zealand Standard Format PDF

Cited By

This resource is cited by 12 documents (show Citations)

Cites

This resource cites 3 documents (show Citations)

Description

This Standard describes procedures for the initial evaluation and daily quality control requirements necessary to ensure that timber has the structural properties claimed for it. The procedures apply

both to timber that is visually and machine stress graded.

Scope

This Standard describes procedures for the initial evaluation and daily quality control requirements necessary to verify that timber has the structural properties claimed for it. The procedures apply to timber that is both visually and machine stress graded. A suitably qualified organization shall carry out the initial evaluation to establish the particular grades of timber a mill is capable of producing. The same, or another, suitably qualified organization shall undertake audits of the mills daily quality controls to ensure timber continues to be produced to the claimed grades. The adequacy of the suitably qualified organizations needs to be ascertained but is outside the scope of this Standard.

For assistance with locating previous versions, please contact the information provider.

 Table of Contents
 View on Information Provider website
 {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 3622:2004 Verification of timber properties

This document is CITED BY:

• SH/AS1 (First edition, unamended)

NZS 3622:2004 is cited by SH/AS1 Simple House Acceptable Solution

• B1/VM1 (First edition, amendment 15)

NZS 3622:2004 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

<u>B1/VM1 (First Edition, Amendment 11)</u>

NZS 3622:2004 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

• B1/VM1 (First Edition, Amendment 17)

NZS 3622:2004 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

• B1/VM1 (First edition, Amendment 14)

NZS 3622:2004 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

• B1/VM1 (First edition, Amendment 10)

NZS 3622:2004 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

• B1/VM1 (First Edition, Amendment 12.)

NZS 3622:2004 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

• B1/VM1 (First edition, Amendment 13)

NZS 3622:2004 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

• B1/VM1 (First edition, Amendment 16)

NZS 3622:2004 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

• <u>AS/NZS 1748.1:2011</u>

NZS 3622:2004 is cited by AS/NZS 1748.1:2011 Timber - Solid - Stress-graded for structural purposes - General requirements

• <u>NZS 3603:1993</u>

NZS 3622:2004 is cited by NZS 3603:1993 Timber structures standard

• <u>NZS 3604:2011</u>

NZS 3622:2004 is cited by NZS 3604:2011 Timber-framed buildings

Back

NZS 3622:2004 Verification of timber properties

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard describes procedures for the initial evaluation and daily quality control requirements necessary to ensure that timber has the structural properties claimed for it. The procedures apply both to timber that is visually and machine stress graded.

View on Information Provider website

NZS 3622:2004 Verification of timber properties

Description

This Standard describes procedures for the initial evaluation and daily quality control requirements necessary to ensure that timber has the structural properties claimed for it. The procedures apply both to timber that is visually and machine stress graded.

View on Information Provider website

This resource cites:

NZS 3622:2004 Verification of timber properties

This document CITES:

New Zealand Standards

• <u>AS/NZS 1748:1997</u>

NZS 3622:2004 cites AS/NZS 1748:1997 Timber - Stress graded - Product requirements for mechanically stress-graded timber

• <u>AS/NZS 4063:1992</u>

NZS 3622:2004 cites AS/NZS 4063:1992 Timber - Stress-graded - In-grade strength and stiffness evaluation

• <u>NZS 3631:1988</u>

NZS 3622:2004 cites NZS 3631:1988 New Zealand timber grading rules

Close

Table of Contents

1 Scope

2 Definitions

- **3 Interpretation**
- 4 Notation

5 Grades, Grade Stresses And Moduli For Stress Graded Sawn Timber

- **6 Grading Methods**
- **6.1 Production**
- 6.2 Visual Grading
- 6.3 Machine Grading

- 7 Initial Evaluation
- 7.1 Purpose
- 7.2 Properties To Evaluate
- 7.3 Procedure
- 8 Audit Organization
- 9 In-Mill Monitoring
- 9.1 Monitoring Method
- 9.2 Sampling
- 9.3 Test Procedure
- 9.4 Acceptance Criteria
- 9.5 Retesting
- 10 Marking
- 10.1 Information To Be Marked
- 10.2 Marking Of Grade For Machine Stress Graded Timber
- Appendix A Colour Marks And Grade Identification Of Machine Stress Graded Timber
- A1. Colour Marks
- A2. Identification Of Grade
- Table 5.1 Minimum Target Values For Visually Graded Timber
- Table 5.2 Minimum Target Values For Machine Stress

Graded Timber

Table 9.1 – Order Ranking For The Fifth Percentile Determination

