Skip to main content Skip to primary navigation
Menu
Home Home
About this portal
Latest updates

Print Save Email
Resource detail
Citations

## NZS 3631:1988 New Zealand timber grading rules

**Table of Contents** 

View on Information Provider website Download this resource (PDF, 2.7MB) {{ linkText }}

Abbreviation NZS 3631:1988

Valid from 30/06/1988

Information provider
Standards New Zealand
Author
Standards New Zealand
Information type
New Zealand Standard

Format PDF

Cited By

This resource is cited by 15 documents (show Citations)

#### Description

This Standard establishes visual grading rules for the selection of timber into quality classes.

The four types of grades specified are:

- 1. appearance grades, for finishing and other uses;
- 2. cutting grades, for short clear lengths;
- 3. structural grades, primarily for strength and
- 4. stiffness; and box grades.

For approval of species and grades for particular building applications refer to NZS 3602.

For assistance with locating previous versions, please contact the information provider.

Table of Contents View on Information Provider website Download this resource (PDF, 2.7MB) {{ linkText }}

 $\label{eq:contact} \textbf{For assistance with locating previous versions, please contact the information provider.}$ 

This resource is cited by:

# NZS 3631:1988 New Zealand timber grading rules

This document is CITED BY:

• B1/AS2 (First edition, Amendment 10)

NZS 3631:1988 is cited by Acceptable Solution B1/AS2: Timber Barriers from 01/07/1992

• AS/NZS 3500.3:2018

NZS 3631:1988 is cited by AS/NZS 3500.3:2018 Plumbing and drainage Part 3: Stormwater drainage

AS/NZS 3500.4:2003

NZS 3631:1988 is cited by AS/NZS 3500.4:2003 Plumbing and drainage - Part 4: Heated water services

AS/NZS 3500.4:2015

NZS 3631:1988 is cited by AS/NZS 3500.4:2015 Plumbing and drainage - Heated water services

AS/NZS 3500.4:2018

NZS 3631:1988 is cited by AS/NZS 3500.4:2018 Plumbing and drainage Part 4: Heated water services

AS/NZS 3500.4:2018

NZS 3631:1988 is cited by AS/NZS 3500.4:2018 Plumbing and drainage Part 4: Heated water services

NZS 3602:2003

NZS 3631:1988 is cited by NZS 3602:2003 Timber and wood-based products for use in building

NZS 3603:1993

NZS 3631:1988 is cited by NZS 3603:1993 Timber structures standard

NZS 3604:1990

NZS 3631:1988 is cited by NZS 3604:1990 Code of practice for light timber frame buildings not requiring specific design

NZS 3604:1999

NZS 3631:1988 is cited by NZS 3604:1999 Timber framed buildings

NZS 3604:2011

NZS 3631:1988 is cited by NZS 3604:2011 Timber-framed buildings

• NZS 3605:2001

NZS 3631:1988 is cited by NZS 3605:2001 Timber piles and poles for use in building

NZS 3622:2004

NZS 3631:1988 is cited by NZS 3622:2004 Verification of timber properties

• NZS 4299:1998

NZS 3631:1988 is cited by NZS 4299:1998 Earth buildings not requiring specific design

SH/AS1 (First edition, unamended)

NZS 3631:1988 is cited by Simple House - Acceptable Solution Revoked

Back

## NZS 3631:1988 New Zealand timber grading rules

Show what documents this resource is CITED BY

Show what documents this resource CITES

#### Description

This Standard establishes visual grading rules for the selection of timber into quality classes.

The four types of grades specified are:

- 1. appearance grades, for finishing and other uses;
- 2. cutting grades, for short clear lengths;
- 3. structural grades, primarily for strength and
- 4. stiffness; and box grades.

For approval of species and grades for particular building applications refer to NZS 3602.

View on Information Provider website Download this resource (PDF, 2.7MB)

NZS 3631:1988 New Zealand timber grading rules

#### Description

This Standard establishes visual grading rules for the selection of timber into quality classes.

The four types of grades specified are:

- 1. appearance grades, for finishing and other uses;
- 2. cutting grades, for short clear lengths;
- 3. structural grades, primarily for strength and
- 4. stiffness; and box grades.

For approval of species and grades for particular building applications refer to NZS 3602.

View on Information Provider website Download this resource (PDF, 2.7MB)

This resource does not cite any other resources.

### NZS 3631:1988 New Zealand timber grading rules

This resource does not CITE any other resources.



**Table of Contents** 

1 General Provisions

2 Group I: Native Softwoods

3 Group Ii: Hardwoods (Native, New Zealand Grown Exotic And Imported)

4 Group Iii: Exotic Softwoods (New Zealand Grown And Imported)

**Appendix** 

A Marketing Of New Zealand Timbers

**B Colour Marking Of Timber** 

**C Determination Of Slope Of Grain** 

**Table** 

1 Timber Classification

- 2 Permitted Bow
- 3 Permitted Crook
- **4 Permitted Cup**
- 5 Permitted Twist Per 100 Mm Of Width

## **Figure**

- 1 Bark Pocket And Loose Knot
- 2 Knot Check
- 3 Knots Intergrown
- 4 Knots Intergrown Spike Knot
- 5 Knots Intergrown Double Spike Knot And Pith
- 6 Knots Partially Intergrown Knot And Associated Bark Pocket
- 7 Knots Partially Intergrown Spike Knot And Pith
- 8 Knots Tight Encased
- 9 Knots Tight Encased
- 10 Resin Pocket
- 11 Sloping Grain As Depicted By The Split In The Figure
- 12 Sloping Grain Abrupt Sloping Grain Associated With Intergrown Knot
- 13 Appearance Grades Method Of Measuring Single Knots And Knot Combinations Other Than Spike Knots
- 14 Appearance Grades Method Of Measuring Spike Knots And Occluded Spike Knots
- 15 Structural Grades Method Of Measuring Knots, Single Or In Groups Other Than Occluded Knots And Spike Knots Appearing On Opposite Surfaces
- 16 Structural Grades Method Of Measuring Spike Knots Appearing On One Edge Only
- 17 Structural Grades Method Of Measuring Double Spike Knots
- 18 Structural Grades Method Of Assessing The Cross-Sectional Area Of Occluded Knots Which Are Cut Longitudinally By The Face

### Of The Piece

- 19 Structural Grades Method Of Assessing Cross-Sectional Area Of Other Occluded Knots
- 20 Engineering Grade Face And Margin Regions
- 21 Engineering Grade Diagram Indicating The Method For Assessing The Projected Area Of Any Knots Or Holes Appearing Partially Or Wholly Within The Margin Region
- 22 Method Of Measuring Bark And Resin Or Gum Pockets
- 23 Method Of Measuring Sloping Grain
- 24 Method Of Measuring Wane
- 25 Method Of Measuring Bow
- **26 Method Of Measuring Crook**
- 27 Method Of Measuring Cup
- 28 Method Of Measuring Twist
- 29 Variations Of Sloping Grain
- 30 Swivel-Handled Scribe For Determination Of Slope Of Grain In Wood

Print Save Email			
<u>Feedback</u>			
	_	_	
<ul><li>Contact us</li><li>Privacy policy</li><li>Disclaimer</li><li>Copyright</li></ul>			
		<del>-</del>	
Feedback			