

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Print](#) [Save](#) [Email](#)

[Resource detail](#)

[Citations](#)

AS/NZS 4201.1:1994 Pliable building membranes and underlays - Methods of test - Method 1: Resistance to dry delamination

[Table of Contents](#)

[View on Information Provider website](#) [{{ linkText }}](#)

Abbreviation

AS/NZS 4201.1:1994

Valid from

13/06/1994

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This test determines the ability of a pliable building membrane material to resist delamination in hot, dry conditions.

For assistance with locating previous versions, please contact the information provider.

[Table of Contents](#) [View on Information Provider website](#) [{{ linkText }}](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 4201.1:1994 Pliable building membranes and underlays - Methods of test - Method 1: Resistance to dry delamination

This document is CITED BY:

- [AS/NZS 4200.1:1994](#)

AS/NZS 4201.1:1994 is cited by AS/NZS 4200.1:1994 Pliable building membranes and underlays - Materials

- [AS/NZS 4859.1:2002](#)

AS/NZS 4201.1:1994 is cited by AS/NZS 4859.1:2002 Materials for the thermal insulation of buildings - General criteria and technical provisions

[Back](#)

AS/NZS 4201.1:1994 Pliable building membranes and underlays - Methods of test - Method 1: Resistance to dry delamination

[Show what documents this resource is CITED BY](#)

[Show what documents this resource CITES](#)

Description

This test determines the ability of a pliable building membrane material to resist delamination in hot, dry conditions.

[View on Information Provider website](#)

[AS/NZS 4201.1:1994 Pliable building membranes and underlays - Methods of test - Method 1: Resistance to dry delamination](#)

Description

This test determines the ability of a pliable building membrane material to resist delamination in hot, dry conditions.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 4201.1:1994 Pliable building membranes and underlays - Methods of test - Method 1: Resistance to dry delamination

This resource does not CITE any other resources.

Back

Close

Table of Contents

1 Scope

2 Apparatus

3 Test Specimen

4 Procedure

5 Reporting

Print [Save](#) Email

[Feedback](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

[Feedback](#)