Skip to main content Skip to p	imary navigation
 Home Home About this portal Latest updates	
Print Save Email	

NZS 4297:1998 Engineering design of earth buildings

Table of Contents

<u>View on Information Provider website Download this resource (PDF, 1.3MB)</u> {{ linkText }}

Abbreviation

NZS 4297:1998

Valid from

Citations

01/10/1998

Information provider

Standards New Zealand

Author

Standards New Zealand

Information type

New Zealand Standard

Format

PDF

Cited By

This resource is cited by 18 documents (show Citations)

Cites

This resource cites 11 documents (show Citations)

Description

This Standard provides for the structural and durability design of unfired earthen wall buildings.

Scope

The scope of this Standard is limited to unfired earthen wall building materials defined herein as adobe, pressed brick, poured earth or rammed earth and which contain clay and silt and which rely on the clay and silt particles present to achieve satisfactory performance with or without chemical stabilization.

Earth building materials to which this Standard applies shall comply with NZS 4298 Materials and workmanship for earth buildings. Earth construction in accordance with this Standard shall not exceed 6.5 m in height from the top of the footing to the top of the earth wall.

This Standard applies to earth wall items including house and building walls, boundary fences, outbuildings, garden walls, furniture, footings, fireplaces and such like. This Standard also covers components of any of the foregoing including bricks, pieces and such like.

This Standard applies to New Zealand and its offshore islands.

 $\label{prop:control} \mbox{For assistance with locating previous versions, please contact the information provider.}$

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 4297:1998 Engineering design of earth buildings

This document is CITED BY:

• B2/AS1 (Second Edition, Amendment 12)

NZS 4297:1998 is cited by Acceptable Solution B2/AS1: Durability Applications from 01/12/2000

B2/AS1 (Second edition, Amendment 7)

NZS 4297:1998 is cited by Acceptable Solution B2/AS1: Durability Applications from 01/12/2000

B2/AS1 (Second edition, Amendment 9)

NZS 4297:1998 is cited by Acceptable Solution B2/AS1: Durability Applications from 01/12/2000

B2/AS1 (Second Edition, Amendment 11)

NZS 4297:1998 is cited by Acceptable Solution B2/AS1: Durability Applications from 01/12/2000

• B2/AS1 (Second edition, Amendment 8)

NZS 4297:1998 is cited by Acceptable Solution B2/AS1: Durability Applications from 01/12/2000

• B2/AS1 (Second Edition, Amendment 10)

NZS 4297:1998 is cited by Acceptable Solution B2/AS1: Durability Applications from 01/12/2000

• B1/VM1 (First edition, amendment 15)

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

B1/VM1 (First edition, Amendment 10)

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

B1/VM1 (First Edition, Amendment 12.)

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

B1/VM1 (First edition, Amendment 13)

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

• B1/VM1 (First edition, Amendment 16)

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

• B1/VM1 (First Edition, Amendment 17)

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

• B1/VM1 (First Edition, Amendment 11)

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

B1/VM1 (First edition, Amendment 14)

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

B1/VM1 (First Edition, Amendment 18)

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

• B1/VM1 (First edition, Amendment 19))

NZS 4297:1998 is cited by Verification Method B1/VM1: Structure - General from 01/12/2000

NZS 4298:1998

NZS 4297:1998 is cited by NZS 4298:1998 Materials and workmanship for earth buildings

NZS 4299:1998

NZS 4297:1998 is cited by NZS 4299:1998 Earth buildings not requiring specific design

Back

NZS 4297:1998 Engineering design of earth buildings

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard provides for the structural and durability design of unfired earthen wall buildings.

View on Information Provider website Download this resource (PDF, 1.3MB)

NZS 4297:1998 Engineering design of earth buildings

Description

This Standard provides for the structural and durability design of unfired earthen wall buildings.

View on Information Provider website Download this resource (PDF, 1.3MB)

This resource cites:

NZS 4297:1998 Engineering design of earth buildings

This document CITES:

New Zealand Standards

NZS 3101 PARTS 1 AND 2:1995

NZS 4297:1998 cites NZS 3101 PARTS 1 AND 2:1995 Concrete structures standard - The design of concrete structures

• NZS 3109:1997

NZS 4297:1998 cites NZS 3109:1997 Concrete construction

NZS 3402:1989

NZS 4297:1998 cites NZS 3402:1989 Steel bars for the reinforcement of concrete

NZS 3421:1975

NZS 4297:1998 cites NZS 3421:1975 Specification for hard drawn mild steel wire for concrete reinforcement

NZS 4203:1992

NZS 4297:1998 cites NZS 4203:1992 General structural design and design loadings for buildings

NZS 4214:1977

NZS 4297:1998 cites NZS 4214:1977 Methods of determining the total thermal resistance of parts of buildings

NZS 4230:1990

NZS 4297:1998 cites NZS 4230:1990 (Parts 1 and 2:1990) Code of practice for the design of masonry structures - Code of practice for the design of masonry structures

NZS 4298:1998

NZS 4297:1998 cites NZS 4298:1998 Materials and workmanship for earth buildings

NZS 4702:1982

NZS 4297:1998 cites NZS 4702:1982 Metal-arc welding of grade 275 reinforcing bar

Australian Standards

• AS 1530.4-1990

NZS 4297:1998 cites AS 1530.4-1990 Methods for fire tests on building materials, components and structures. Part 4: Fire-resistance tests of elements of building construction

Other

BS EN ISO 10319:1996

NZS 4297:1998 cites BS EN ISO 10319:1996 Geotextiles. Wide-width tensile test



Table of Contents

- 1 General
- 1.1 Objective
- 1.2 Scope
- 1.3 Interpretation
- 1.4 Construction Review
- 1.5 Seismic Zones
- 2 Definitions
- 2.1 General
- 2.2 Notation
- 3 Performance Criteria
- 3.1 Notation
- 3.2 Durability
- 3.3 Strength

3.4 Shrinkage
3.5 Thermal Insulation
3.6 Fire
4 General Construction And Design Requirements
4.1 Notation
4.2 Scope
4.3 General Principles And Requirements For Construction
4.4 Standard Grade Earth Construction
4.5 Special Grade Earth Construction
4.6 General Principles For Design
4.7 Principles And Requirements Additional To 4.6 For Members Designed For Seismic Loading
5 Strength And Serviceability
5.1 Notation
5.2 General
5.3 Ultimate Limit State
5.4 Serviceability
5.5 Other Considerations
6 Flexure With Or Without Axial Load
6.1 Notation
6.2 Scope
6.3 General Principles And Requirements
6.4 Unreinforced Earth
6.5 Principles And Requirements Additional To 6.3 For Members Not Designed For Seismic Loading
6.6 Principles And Requirements Additional To 6.3 For Members Designed For Seismic Loading

7 Shear 7.1 Notation 7.2 Scope 7.3 General Principles And Requirements 7.4 Principles And Requirements Additional To 7.3 For Members Designed For Seismic Loads 8 Reinforcement – Details, Anchorage And Development 8.1 Notation 8.2 Scope 8.3 General Principles And Requirements For Members Designed For Seismic Loading 9 Foundations 9.1 Notation 9.2 General Principles And Requirements 9.3 Loads And Reactions 9.4 Principles And Requirements Additional To 9.3 For Foundations Designed For Seismic Loading **Appendix** A Method For Durability Design B Method For Determination Of Seismic Resistance Of Unreinforced Earth Walls **Table** 4.1 – Strengths (Mpa) To Be Used For Design Of Standard Grade Earth Wall Construction 5.1 - Nominal Strength In Shear Of Bolts In Standard Grade Earth Wall Material

6.1 – Reduction Factor (K) For Slenderness And Eccentricity

Figure

- 1.1 Zone Factor, Z, For Auckland And Northland
- 6.1 Loading Positions And Effective Areas Of Dispersion
- **B1 Summary Of Loads, Forces And Actions On Unreinforced Earth Wall**
- **B2 Stress Distributions And Actions At The 4 Crack States**

Print Save Email			
Feedback			
		_	
Contact usPrivacy policyDisclaimerCopyright			
Feedback			