

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 4347.10:1995 (R2013) Damp-proof courses and flashings - Methods of test - Method 10: Determination of mass of desaturated base and percentage saturation

[View on Information Provider website](#)

Abbreviation

AS/NZS 4347.10:1995

Valid from

04/11/1995

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This standard sets out the method for determining the mass per unit area of desaturated fabric or felt base and the percentage saturation of bitumen-impregnated damp-proof courses or flashings with fabric or felt base.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 4347.10:1995 (R2013) Damp-proof courses and flashings - Methods of test - Method 10: Determination of mass of desaturated base and percentage saturation

This document is CITED BY:

- [AS/NZS 2904:1995](#)

AS/NZS 4347.10:1995 is cited by AS/NZS 2904:1995 (R2013) Damp-proof courses and flashings

Back

AS/NZS 4347.10:1995 (R2013) Damp-proof courses and flashings - Methods of test - Method 10: Determination of mass of desaturated base and percentage saturation

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard sets out the method for determining the mass per unit area of desaturated fabric or felt base and the percentage saturation of bitumen-impregnated damp-proof courses or flashings with fabric or felt base.

[View on Information Provider website](#)

[AS/NZS 4347.10:1995 \(R2013\) Damp-proof courses and flashings - Methods of test - Method 10: Determination of mass of desaturated base and percentage saturation](#)

Description

This standard sets out the method for determining the mass per unit area of desaturated fabric or felt base and the percentage saturation of bitumen-impregnated damp-proof courses or flashings with fabric or felt base.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 4347.10:1995 (R2013) Damp-proof courses and flashings - Methods of test - Method 10: Determination of mass of desaturated base and percentage saturation

This resource does not CITE any other resources.

Back

Close

Table of Contents

1 Scope

2 Principle

3 Referenced Documents

4 Apparatus

5 Preparation Of Test Specimen

6 Procedure

7 Calculation

8 Test Report

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)