

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

NZS 4402.3.3.2:1986 Soil chemical tests - Determination of the pH value - Test 3.3.2 Subsidiary method (colorimetric)

[View on Information Provider website](#)

Abbreviation

NZS 4402.3.3.2:1986

Valid from

31/12/1985

Information provider

Standards New Zealand

Author

Standards New Zealand

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

Covers a colorimetric determination of soil pH. Intended primarily as a rapid field method. To be read in conjunction with Part 1.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

This resource is cited by:

NZS 4402.3.3.2:1986 Soil chemical tests - Determination of the pH value - Test 3.3.2 Subsidiary method (colorimetric)

This document is CITED BY:

- [NZS 4402.2.8.4:1986](#)

NZS 4402.3.3.2:1986 is cited by NZS 4402.2.8.4:1986 Methods of testing soils for civil engineering purposes - Soil classification tests - Test 2.8.4 Standard method for fine soils (hydrometer method)

Back

NZS 4402.3.3.2:1986 Soil chemical tests - Determination of the pH value - Test 3.3.2 Subsidiary method (colorimetric)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Covers a colorimetric determination of soil pH. Intended primarily as a rapid field method. To be read in conjunction with Part 1.

[View on Information Provider website](#)

[NZS 4402.3.3.2:1986 Soil chemical tests - Determination of the pH value - Test 3.3.2 Subsidiary method \(colorimetric\)](#)

Description

Covers a colorimetric determination of soil pH. Intended primarily as a rapid field method. To be read in conjunction with Part 1.

[View on Information Provider website](#)

This resource does not cite any other resources.

NZS 4402.3.3.2:1986 Soil chemical tests - Determination of the pH value - Test 3.3.2 Subsidiary method (colorimetric)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)