

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print Save Email

[Resource detail](#)

[Citations](#)

Bostik Seal N' Flex Façade

[Download this resource \(PDF, 388KB\)](#) {{ linkText }}

Abbreviation

Appraisal number 1100

Valid from

01/12/2019

Information provider

BRANZ Limited

Information type

BRANZ Appraisal

Format

PDF

Description

Bostik Seal N' Flex Façade is a weathersealing sealant for exterior use and a general-purpose gap-filling sealant for exterior and interior use.

Scope

Bostik Seal N' Flex Façade has been appraised for use as a sealant in buildings within the following scope:

- the scope limitations of NZBC Acceptable Solution E2/AS1 Paragraph 1.1.

Bostik Seal N' Flex Façade has also been appraised for use as a sealant in buildings subject to specific design within the following scope:

- in joints with a minimum width and depth of 5 mm; and,
- in joints with a maximum width of 35 mm; and,
- with substrates of:
 - timber (unpainted and unstained) - treated or untreated softwoods and hardwoods, plywood, hardboard, treated or untreated particleboard; or,
 - fibre cement; or,
 - plastics - polyester, acrylic, unplasticized or plasticized PVC; or,
 - metals - stainless steel, mild steel, galvanised steel, enamel coated steel, powder coated (polyester or epoxy) aluminium, anodised aluminium, mill finished aluminium, copper, brass, zinc; or,
 - concrete and masonry - standard concrete, glass fibre reinforced concrete, concrete and clay blocks, marble, granite, or natural stone tiles; or,
 - glass and ceramics - glazing, tiles.

Note: Bostik Seal N' Flex Façade can be used on other substrates but these have not been assessed and are outside the scope of this Appraisal. Bostik New Zealand Limited must be consulted when proposing the sealing of material not specifically covered by this Appraisal.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This Appraisal replaces BRANZ Appraisal No 311 (2013)

[Download this resource \(PDF, 388KB\)](#)

For assistance with locating previous versions, please contact the information provider.

This Appraisal replaces BRANZ Appraisal No 311 (2013)

This resource is not cited by any other resources.

Bostik Seal N' Flex Façade

This document is not CITED BY any other resources:

Bostik Seal N' Flex Façade

Description

Bostik Seal N' Flex Façade is a weathersealing sealant for exterior use and a general-purpose gap-filling sealant for exterior and interior use.

[Download this resource \(PDF, 388KB\)](#)

[Bostik Seal N' Flex Façade](#)

Description

Bostik Seal N' Flex Façade is a weathersealing sealant for exterior use and a general-purpose gap-filling sealant for exterior and interior use.

[Download this resource \(PDF, 388KB\)](#)

This resource does not cite any other resources.

Bostik Seal N' Flex Façade

This resource does not CITE any other resources.

Table of Contents

 [Save](#)

[Feedback](#)

- [Contact us](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

[Feedback](#)