

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

Save

Email

[Resource detail](#)  
[Citations](#)

Covertex 403 Roof Underlay

[Download this resource \(PDF, 768KB\)](#)

{{ linkText }}

Abbreviation  
 Appraisal number 917  
 Amendment  
 13/02/2020  
 Valid from  
 14/06/2016

Information provider  
 BRANZ Limited  
 Information type  
 BRANZ Appraisal  
 Format  
 PDF

Description

Covertex 403 Roof Underlay is a fire retardant synthetic building underlay for use under roof claddings.

The product consists of a micro-porous water resistant film ultrasonically bonded between two layers of non-woven spun-bonded polyolefin, and is coloured white.

Scope

- Covertex 403 Roof Underlay has been appraised for use as a roof underlay on buildings within the following scope:
- the scope limitations of NZBC Acceptable Solution E2/AS1, Paragraph 1.1 with regards to building height and floor plan area; or,
  - the scope limitations of NASH Building Envelope Solutions, Paragraph 1.1 for steel framed buildings; and,
  - with masonry tile roof cladding; and,
  - with metal tile roof cladding; and,
  - with profiled metal roof cladding; and,
  - situated in NZS 3604 Wind Zones up to, and including Extra High.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This Appraisal has been amended to to update the Thermakraft Logo, update the product name, update references to C/AS2 and the inclusion of NASH Building Envelope Solutions.

[Download this resource \(PDF, 768KB\)](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This Appraisal has been amended to to update the Thermakraft Logo, update the product name, update references to C/AS2 and the inclusion of NASH Building Envelope Solutions.

This resource is not cited by any other resources.

## Covertex 403 Roof Underlay

This document is not CITED BY any other resources:

Back

## Covertex 403 Roof Underlay

Show what documents this resource is CITED BY Show what documents this resource CITES

### Description

Covertex 403 Roof Underlay is a fire retardant synthetic building underlay for use under roof claddings.

The product consists of a micro-porous water resistant film ultrasonically bonded between two layers of non-woven spun-bonded polyolefin, and is coloured white.

[Download this resource \(PDF, 768KB\)](#)

[Covertex 403 Roof Underlay](#)

### Description

Covertex 403 Roof Underlay is a fire retardant synthetic building underlay for use under roof claddings.

The product consists of a micro-porous water resistant film ultrasonically bonded between two layers of non-woven spun-bonded polyolefin, and is coloured white.

[Download this resource \(PDF, 768KB\)](#)

This resource does not cite any other resources.

## Covertex 403 Roof Underlay

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)