Skip to main content Skip to p	orimary navigation	
 Home Home About this portal Latest updates		
Print Save Email		
Resource detail		
Citations		

E2 Redway Flashings

Download this resource (PDF, 370KB) {{ linkText }}

Abbreviation
Appraisal number 977
Amendment
26/02/2020
Valid from
20/12/2017

Information provider
BRANZ Limited
Information type
BRANZ Appraisal
Format
PDF

Description

E2 Redway Flashings are a range of uPVC back flashings designed for use in a variety of wall construction details to meet the flashing requirements for both direct-fixed and cavity cladding systems. The range also includes the E2 Redway Flashings Sill Tray System for window and door joinery.

Scope

E2 Redway Flashings have been appraised for use as back flashings on timber and steel framed buildings within the following scope:

- the scope limitations of NZBC Acceptable Solution E2/AS1, Paragraph 1.1 with regards to building height and floor plan area; and,
- with direct fixed or cavity-based wall cladding systems complying with NZBC Acceptable Solution E2/AS1 or with proprietary direct fixed or cavity-based cladding systems covered by a valid BRANZ Appraisal; and,
- situated in NZS 3604 Wind Zones, up to and including Extra High.

(Note: E2 Redway Flashings can also be used on buildings subject to specific weathertightness design. Weathertightness design and detailing of these installations is the responsibility of the designer and is outside the scope of the Appraisal).

The E2 Redway Flashings Sill Tray System has been appraised for use as a sill tray in joinery openings of buildings within the following scope:

- timber framed buildings constructed in accordance with the scope limitations of NZBC Acceptable Solution E2/AS1,
 Paragraph 1.1, with direct fixed timber or fibre cement horizontal weatherboard wall claddings in accordance with NZBC Acceptable Solution E2/AS1; or
- constructed with concrete masonry, in-situ concrete, pre-cast concrete or EPS block systems up to 3 storeys in height with a maximum height from ground to eaves of 10 m, and with a floor plan area only limited by seismic and structural joints, all

designed and constructed in accordance with the NZBC; and

• situated in NZS 3604 Wind Zones up to, and including, Very High.

The E2 Redway Flashings Sill Tray System is appraised for use with aluminum window and door joinery that is installed with vertical jambs and horizontal heads and sills. (Note: The Appraisal of the Sill Tray System relies on the joinery meeting the requirements of NZS 4211 for the relevant Wind Zone.)

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This Appraisal has been amended on 26/02/2020 to update Technical Specification to include Vented Cavity Closers for RAB board.

Download this resource (PDF, 370KB) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This Appraisal has been amended on 26/02/2020 to update Technical Specification to include Vented Cavity Closers for RAB board.

This resource is not cited by any other resources.

E2 Redway Flashings

This document is not CITED BY any other resources:

Back

E2 Redway Flashings

Show what documents this resource is CITED BY Show wh

Show what documents this resource CITES

Description

E2 Redway Flashings are a range of uPVC back flashings designed for use in a variety of wall construction details to meet the flashing requirements for both direct-fixed and cavity cladding systems. The range also includes the E2 Redway Flashings Sill Tray System for window and door joinery.

Download this resource (PDF, 370KB)

E2 Redway Flashings

Description

E2 Redway Flashings are a range of uPVC back flashings designed for use in a variety of wall construction details to meet the flashing requirements for both direct-fixed and cavity cladding systems. The range also includes the E2 Redway Flashings Sill Tray System for window and door joinery.

Download this resource (PDF, 370KB)

This resource does not cite any other resources.

E2 Redway Flashings

This resource does not CITE any other resources.

Back

Table of Contents

Print Save Email		
Feedback		
• Contact us		
 Privacy policy 		
• <u>Disclaimer</u>		
 Copyright 		

Feedback