Skip to main content Skip to primary navigation	
Menu	
 Home Home About this portal Latest updates	
Print Save Email	
Resource detail	

AS 1012.12.1-1998 (R2014) Methods of testing concrete. Method 12: Determination of mass per unit volume of hardened concrete - Part 1: Rapid measuring method

<u>View on Information Provider website</u> {{ linkText }}

Abbreviation

AS 1012.12.1-1998 (R2014)

Version

Citations

Reconfirmed 24/10/2014

Valid from

05/09/1998

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

This resource is cited by 1 document (show Citations)

Description

This Standard sets out a rapid method for determining the mass per unit volume of hardened concrete consisting of regular shaped specimens with a minimum of defects.

Scope

This Method is also applicable to capped specimens, provided the mass per unit volume of the cap does not differ from that of the specimen by more than 25 percent.

NOTES:

- 1. Because of possible variation in results, it is envisaged that the mass per unit volume of concrete should be based on the average value determined from a group of at least two representative specimens.
- 2. For general procedures and precautions designed to promote safety of persons and property in laboratory operations (see AS/NZS 2243.1 list in Referenced Documents).
- 3. This Standard may involve hazardous materials, operations, and equipment. This Standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this Standard to establish appropriate

safety and health practices and determine the applicability of regulatory limitations prior to use.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1012.12.1-1998 (R2014) Methods of testing concrete. Method 12: Determination of mass per unit volume of hardened concrete - Part 1: Rapid measuring method

This document is CITED BY:

• AS/NZS 2327:2017

AS 1012.12.1-1998 (R2014) is cited by AS/NZS 2327:2017 Composite structures - Composite steel-concrete construction in buildings



AS 1012.12.1-1998 (R2014) Methods of testing concrete. Method 12: Determination of mass per unit volume of hardened concrete - Part 1: Rapid measuring method

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard sets out a rapid method for determining the mass per unit volume of hardened concrete consisting of regular shaped specimens with a minimum of defects.

View on Information Provider website

AS 1012.12.1-1998 (R2014) Methods of testing concrete. Method 12: Determination of mass per unit volume of hardened concrete - Part 1: Rapid measuring method

Description

This Standard sets out a rapid method for determining the mass per unit volume of hardened concrete consisting of regular shaped specimens with a minimum of defects.

View on Information Provider website

This resource does not cite any other resources.

AS 1012.12.1-1998 (R2014) Methods of testing concrete. Method 12: Determination of mass per unit volume of hardened concrete - Part 1: Rapid measuring method

This resource does not CITE any other resources.



Table of Contents

Print Save Email		
Feedback		
• Contact us		
 Privacy policy 		
• <u>Disclaimer</u>		
 Copyright 		

Feedback