

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 1111.2-2000 ISO metric hexagon bolts and screws - Product grade C - Screws

[View on Information Provider website](#)

Abbreviation

AS 1111:2-2000

Valid from

23/06/2000

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 4 documents \(show Citations\)](#)

Cites

[This resource cites 2 documents \(show Citations\)](#)

Description

This Standard specifies the dimensions, tolerances and material requirements for hexagon head screws, ISO product grade C with ISO metric coarse threads and diameters from 5 mm to 64 mm inclusive. This Standard is identical with and reproduced from ISO 4018:1999.

Scope

This International Standard specifies the characteristics of hexagon head screws with threads from M5 up to and including M64, of production grade C.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1111.2-2000 ISO metric hexagon bolts and screws - Product grade C - Screws

This document is CITED BY:

- [AS/NZS 4600:2005](#)

AS 1111:2-2000 is cited by AS/NZS 4600:2005 Cold-formed steel structures

- [NZS 3404 Parts 1 and 2:1997](#)

AS 1111:2-2000 is cited by NZS 3404 Parts 1 and 2:1997 Steel structures standard

- [NZS 3604:2011](#)

AS 1111:2-2000 is cited by NZS 3604:2011 Timber-framed buildings

- [SH/AS1 \(First edition, unamended\)](#)

AS 1111:2-2000 is cited by Simple House - Acceptable Solution Revoked

Back

AS 1111.2-2000 ISO metric hexagon bolts and screws - Product grade C - Screws

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies the dimensions, tolerances and material requirements for hexagon head screws, ISO product grade C with ISO metric coarse threads and diameters from 5 mm to 64 mm inclusive. This Standard is identical with and reproduced from ISO 4018:1999.

[View on Information Provider website](#)

[AS 1111.2-2000 ISO metric hexagon bolts and screws - Product grade C - Screws](#)

Description

This Standard specifies the dimensions, tolerances and material requirements for hexagon head screws, ISO product grade C with ISO metric coarse threads and diameters from 5 mm to 64 mm inclusive. This Standard is identical with and reproduced from ISO 4018:1999.

[View on Information Provider website](#)

This resource cites:

AS 1111.2-2000 ISO metric hexagon bolts and screws - Product grade C - Screws

This document CITES:

Other

- [BS EN ISO 225:2010](#)

AS 1111:2-2000 cites BS EN ISO 225:2010 Fasteners - Bolts, screws, studs and nuts - Symbols and descriptions of dimensions

- [ISO 898-1:1999](#)

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)