

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 1172.2-1999 Water closet (WC) pans of 6/3 L capacity or proven equivalent - Part 2: Cisterns

[View on Information Provider website](#)

Abbreviation

AS 1172.2-1999

Amendment

AS 1172.2-1999/Amdt 1-2002 AS 1172.2-1999/Amdt 2-2005

Valid from

05/01/1999

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard specifies requirements for flushing cisterns which are intended for use with pans of all types. Flushing cisterns may be either single-flush or dual-flush with flushing volumes as marked.

Scope

This Standard specifies requirements for flushing cisterns which are intended for use with pans of all types. Flushing cisterns may be either single-flush or dual-flush with flushing volumes as marked.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1172.2-1999 Water closet (WC) pans of 6/3 L capacity or proven equivalent -

Part 2: Cisterns

This document is CITED BY:

- [AS/NZS 3500.1:2003](#)

AS 1172.2-1999 is cited by AS/NZS 3500.1:2003 Plumbing and drainage - Water services

Back

AS 1172.2-1999 Water closet (WC) pans of 6/3 L capacity or proven equivalent - Part 2: Cisterns

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for flushing cisterns which are intended for use with pans of all types. Flushing cisterns may be either single-flush or dual-flush with flushing volumes as marked.

[View on Information Provider website](#)

[AS 1172.2-1999 Water closet \(WC\) pans of 6/3 L capacity or proven equivalent - Part 2: Cisterns](#)

Description

This Standard specifies requirements for flushing cisterns which are intended for use with pans of all types. Flushing cisterns may be either single-flush or dual-flush with flushing volumes as marked.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 1172.2-1999 Water closet (WC) pans of 6/3 L capacity or proven equivalent - Part 2: Cisterns

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

