

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 1172.2:2014 Water closets (WCs) Flushing devices and cistern inlet and outlet valves

[View on Information Provider website](#)

Abbreviation

AS 1172.2:2014

Valid from

27/05/2014

Replaces

[AS 1172.2-1999](#), , , ,

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies requirements for single-flush or dual-flush flushing cisterns with flushing volumes as marked, flushing valves for mains supply that incorporate air gap pipe disconnections that operate manually or by sensor, and flushing valves for use with a break tank supply intended for use with urinals and water closet pans of all types. Also specifies requirements for cistern inlet valves and cistern outlet valves.

Scope

This Standard specifies requirements for:

- (a) flushing cisterns that may be either single-flush or dual-flush with flushing volumes as marked;
- (b) flushing valves for mains supply that incorporate air gap pipe disconnections that operate manually or by sensor; and
- (c) flushing valves for use with a break tank supply; which are intended for use with urinals and water closet pans of all types.

This Standard also specifies requirements for cistern inlet valves and cistern outlet valves.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1172.2:2014 Water closets (WCs) Flushing devices and cistern inlet and outlet valves

This document is CITED BY:

- [AS/NZS 3500.1:2015](#)

AS 1172.2:2014 is cited by AS/NZS 3500.1:2015 Plumbing and drainage - Part 1: Water services

- [AS/NZS 3500.1:2018](#)

AS 1172.2:2014 is cited by AS/NZS 3500.1:2018 Plumbing and drainage Part 1: Water services

Back

AS 1172.2:2014 Water closets (WCs) Flushing devices and cistern inlet and outlet valves

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for single-flush or dual-flush flushing cisterns with flushing volumes as marked, flushing valves for mains supply that incorporate air gap pipe disconnections that operate manually or by sensor, and flushing valves for use with a break tank supply intended for use with urinals and water closet pans of all types. Also specifies requirements for cistern inlet valves and cistern outlet valves.

[View on Information Provider website](#)

[AS 1172.2:2014 Water closets \(WCs\) Flushing devices and cistern inlet and outlet valves](#)

Description

This Standard specifies requirements for single-flush or dual-flush flushing cisterns with flushing volumes as marked, flushing valves for mains supply that incorporate air gap pipe disconnections that operate manually or by sensor, and flushing valves for use with a break tank supply intended for use with urinals and water closet pans of all types. Also specifies requirements for cistern inlet valves and cistern outlet valves.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 1172.2:2014 Water closets (WCs) Flushing devices and cistern inlet and outlet valves

This resource does not CITE any other resources.

Back

Close

[Table of Contents](#)

Print Save Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)