

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 1289.5.6.1-1998 (R2016) Methods of testing soils for engineering purposes - Soil compaction and density tests - Compaction control test - Density index method for a cohesionless material

[View on Information Provider website](#)

Abbreviation

AS 1289.5.6.1-1998 (R2016)

Valid from

05/03/1998

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This method sets out a procedure for calculating the density index of a cohesionless material using the field dry density and laboratory minimum and maximum dry densities of the same material.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1289.5.6.1-1998 (R2016) Methods of testing soils for engineering purposes - Soil compaction and density tests - Compaction control test - Density index method for a cohesionless material

This document is CITED BY:

- [AS/NZS 2566.2:2002](#)

AS 1289.5.6.1-1998 (R2016) is cited by AS/NZS 2566.2:2002 (R2016) Buried Flexible pipelines - Installation

- [AS/NZS 3725:2007](#)

AS 1289.5.6.1-1998 (R2016) is cited by AS/NZS 3725:2007 Design for installation of buried concrete pipes

Back

AS 1289.5.6.1-1998 (R2016) Methods of testing soils for engineering purposes - Soil compaction and density tests - Compaction control test - Density index method for a cohesionless material

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This method sets out a procedure for calculating the density index of a cohesionless material using the field dry density and laboratory minimum and maximum dry densities of the same material.

[View on Information Provider website](#)

[AS 1289.5.6.1-1998 \(R2016\) Methods of testing soils for engineering purposes - Soil compaction and density tests - Compaction control test - Density index method for a cohesionless material](#)

Description

This method sets out a procedure for calculating the density index of a cohesionless material using the field dry density and laboratory minimum and maximum dry densities of the same material.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 1289.5.6.1-1998 (R2016) Methods of testing soils for engineering purposes - Soil compaction and density tests - Compaction control test - Density index method for a cohesionless material

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)