

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## AS 1289.6.3.2-1997 (R2013) Methods of testing soils for engineering purposes - Soil strength and consolidation tests - Determination of the penetration resistance of a soil - 9kg dynamic cone penetrometer test

[View on Information Provider website](#)

### Abbreviation

AS 1289.6.3.2-1997 (R2013)

### Valid from

05/06/1997

---

### Information provider

SAI Global

### Author

Standards Australia

### Information type

Australian Standard

### Format

PDF, Hard copy

---

### Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

---

### Description

This method sets out the procedure for determining the penetration resistance of a soil to the penetration of a steel cone of 30 degrees angle and 20 +/-0.2 mm diameter driven with a 9 kg mass, dropping 510 mm.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## AS 1289.6.3.2-1997 (R2013) Methods of testing soils for engineering purposes - Soil strength and consolidation tests - Determination of the penetration resistance of a soil - 9kg dynamic cone penetrometer test

This document is CITED BY:

- [AS/NZS 2566.1:1998](#)

AS 1289.6.3.2-1997 (R2013) is cited by AS/NZS 2566.1:1998 (R2018) Buried Flexible pipelines. Structural Design

- [AS/NZS 2566.2:2002](#)

AS 1289.6.3.2-1997 (R2013) is cited by AS/NZS 2566.2:2002 (R2016) Buried Flexible pipelines - Installation

Back

## AS 1289.6.3.2-1997 (R2013) Methods of testing soils for engineering purposes - Soil strength and consolidation tests - Determination of the penetration resistance of a soil - 9kg dynamic cone penetrometer test

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This method sets out the procedure for determining the penetration resistance of a soil to the penetration of a steel cone of 30 degrees angle and 20 +/-0.2 mm diameter driven with a 9 kg mass, dropping 510 mm.

[View on Information Provider website](#)

[AS 1289.6.3.2-1997 \(R2013\) Methods of testing soils for engineering purposes - Soil strength and consolidation tests - Determination of the penetration resistance of a soil - 9kg dynamic cone penetrometer test](#)

### Description

This method sets out the procedure for determining the penetration resistance of a soil to the penetration of a steel cone of 30 degrees angle and 20 +/-0.2 mm diameter driven with a 9 kg mass, dropping 510 mm.

[View on Information Provider website](#)

This resource does not cite any other resources.

## AS 1289.6.3.2-1997 (R2013) Methods of testing soils for engineering purposes - Soil strength and consolidation tests - Determination of the penetration resistance of a soil - 9kg dynamic cone penetrometer test

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

  
    

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)