

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)
[Citations](#)

AS 1329.1-1994 (2016) Methods for the analysis of zinc and zinc alloys - Determination of aluminium content - Titrimetric method

[View on Information Provider website](#)

Abbreviation

AS 1329.1-1994 (2016)

Valid from

19/09/1994

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard specifies a titrimetric method for the determination of aluminium in zinc and zinc alloys. It is applicable in the range of 3% to 13% aluminium. The method is not applicable to zinc alloys containing titanium as this interferes with the determination.

Scope

This standard sets out a titrimetric method for the determination of aluminium in zinc and zinc alloys in the range 3% to 13%. This method is not applicable to zinc alloys containing titanium as titanium will report as aluminium.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1329.1-1994 (2016) Methods for the analysis of zinc and zinc alloys - Determination of aluminium content - Titrimetric method

This document is CITED BY:

- [AS/NZS 4534:2006](#)

AS 1329.1-1994 (2016) is cited by AS/NZS 4534:2006 (R2017) Zinc and zinc/aluminium-alloy coatings on steel wire

Back

AS 1329.1-1994 (2016) Methods for the analysis of zinc and zinc alloys - Determination of aluminium content - Titrimetric method

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies a titrimetric method for the determination of aluminium in zinc and zinc alloys. It is applicable in the range of 3% to 13% aluminium. The method is not applicable to zinc alloys containing titanium as this interferes with the determination.

[View on Information Provider website](#)

[AS 1329.1-1994 \(2016\) Methods for the analysis of zinc and zinc alloys - Determination of aluminium content - Titrimetric method](#)

Description

This Standard specifies a titrimetric method for the determination of aluminium in zinc and zinc alloys. It is applicable in the range of 3% to 13% aluminium. The method is not applicable to zinc alloys containing titanium as this interferes with the determination.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 1329.1-1994 (2016) Methods for the analysis of zinc and zinc alloys - Determination of aluminium content - Titrimetric method

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

<input type="text"/>		
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		

[Feedback](#)