

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 1361-1995 (R2016) Electric heat-exchange water heaters - For domestic applications

[View on Information Provider website](#)

Abbreviation

AS 1361-1995 (R2016)

Amendment

AS 1361-1995 (R2016)/Amdt 1-2005

Valid from

05/03/1995

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This standard specifies requirements for electric heat-exchange water heaters having a heat-storage volume in the range of 45 L to 710 L, which heat potable water at mains pressure for domestic applications.

Scope

Note: Information to be supplied with enquires and orders for water heaters is given in appendix A.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1361-1995 (R2016) Electric heat-exchange water heaters - For domestic

applications

This document is CITED BY:

- [AS/NZS 4692.2:2005](#)

AS 1361-1995 (R2016) is cited by AS/NZS 4692.2:2005 (R2016) Electric water heaters - Minimum Energy Performance Standards (MEPS) requirements and energy labelling

Back

AS 1361-1995 (R2016) Electric heat-exchange water heaters - For domestic applications

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard specifies requirements for electric heat-exchange water heaters having a heat-storage volume in the range of 45 L to 710 L, which heat potable water at mains pressure for domestic applications.

[View on Information Provider website](#)

[AS 1361-1995 \(R2016\) Electric heat-exchange water heaters - For domestic applications](#)

Description

This standard specifies requirements for electric heat-exchange water heaters having a heat-storage volume in the range of 45 L to 710 L, which heat potable water at mains pressure for domestic applications.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 1361-1995 (R2016) Electric heat-exchange water heaters - For domestic applications

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)