

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## AS 1397-1993 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated

[View on Information Provider website](#)

### Abbreviation

AS 1397-1993

### Valid from

14/06/1993

---

### Information provider

SAI Global

### Author

Standards Australia

### Information type

Australian Standard

### Format

PDF, Hard copy

---

### Cited By

[This resource is cited by 3 documents \(show Citations\)](#)

---

### Description

This Standard specifies requirements for formable and structural grades of hot-dipped zinc-coated and aluminium/zinc-coated sheet and strip, up to and including 5.0 mm thick. Gives information on coating thickness determination, fabricating characteristics and guidelines on the selection of specific grades.

### Scope

This Standard specifies requirements for steel grades, coating classes and surface finish, as follows:

- (a) Three formability grades of steel.
- (b) Six structural grades of steel.
- (c) Six classes of zinc coating.
- (d) Two classes of zinc coating converted to zinc/iron alloy.
- (e) Two classes of aluminium/zinc alloy coating.
- (f) Surface finish.

### Notes:

1. Advice and recommendations on information to be supplied by the purchaser at the time of enquiry or order are contained in Appendix A.
2. Alternative means for determining compliance with this Standard are given in Appendix B.
3. The specified requirements apply to the full length and full width of the product supplied, unless otherwise indicated.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## AS 1397-1993 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated

This document is CITED BY:

- [AS/NZS 2699.1:2000](#)

AS 1397-1993 is cited by AS/NZS 2699.1:2000 Built-in components for masonry construction - Wall ties

- [AS/NZS 2699.2:2000](#)

AS 1397-1993 is cited by AS/NZS 2699.2:2000 Built-in components for masonry construction - Connectors and accessories

- [AS/NZS 2904:1995](#)

AS 1397-1993 is cited by AS/NZS 2904:1995 (R2013) Damp-proof courses and flashings

[Back](#)

## AS 1397-1993 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard specifies requirements for formable and structural grades of hot-dipped zinc-coated and aluminium/zinc-coated sheet and strip, up to and including 5.0 mm thick. Gives information on coating thickness determination, fabricating characteristics and guidelines on the selection of specific grades.

[View on Information Provider website](#)

[AS 1397-1993 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated](#)

### Description

This Standard specifies requirements for formable and structural grades of hot-dipped zinc-coated and aluminium/zinc-coated sheet and strip, up to and including 5.0 mm thick. Gives information on coating thickness determination, fabricating characteristics and guidelines on the selection of specific grades.

[View on Information Provider website](#)

This resource does not cite any other resources.

## AS 1397-1993 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated

This resource does not CITE any other resources.

Back

Close

**Table of Contents**

Print [Save](#) Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)