

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 1515.3-1989 (R2016) Methods for the analysis of copper alloys - Part 3: Determination of silver content - Flame atomic absorption spectrometric method

[View on Information Provider website](#)

Abbreviation

AS 1515.3-1989 (R2016)

Valid from

01/01/1989

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard sets out a flame atomic absorption spectrometric method for determining silver in copper alloys in the range 0.002% to 0.15%. It differs from the previous edition principally in changing the lower end of the application range from 0.001% to 0.002% and inclusion of new precision data to cover the application range.

Scope

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1515.3-1989 (R2016) Methods for the analysis of copper alloys - Part 3:

Determination of silver content - Flame atomic absorption spectrometric method

This document is CITED BY:

- [AS 1566-1997](#)

AS 1515.3-1989 (R2016) is cited by AS 1566-1997 (R2018) Copper and copper alloys - Rolled flat products

Back

AS 1515.3-1989 (R2016) Methods for the analysis of copper alloys - Part 3: Determination of silver content - Flame atomic absorption spectrometric method

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard sets out a flame atomic absorption spectrometric method for determining silver in copper alloys in the range 0.002% to 0.15%. It differs from the previous edition principally in changing the lower end of the application range from 0.001% to 0.002% and inclusion of new precision data to cover the application range.

[View on Information Provider website](#)

[AS 1515.3-1989 \(R2016\) Methods for the analysis of copper alloys - Part 3: Determination of silver content - Flame atomic absorption spectrometric method](#)

Description

This Standard sets out a flame atomic absorption spectrometric method for determining silver in copper alloys in the range 0.002% to 0.15%. It differs from the previous edition principally in changing the lower end of the application range from 0.001% to 0.002% and inclusion of new precision data to cover the application range.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 1515.3-1989 (R2016) Methods for the analysis of copper alloys - Part 3: Determination of silver content - Flame atomic absorption spectrometric method

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)

- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)