Skip to main content Skip to primary navigation
Menu
Home Home
About this portal
Latest updates
Print Save Email
Resource detail
<u>Citations</u>
AO 4500 040 0 0004 Bulleton Laboratoria Indiana Maria de Cara de Maria de Cara de Cara de Cara de Cara de Cara
AS 1580.213.2-2004 Paints and related materials - Methods of test - Method
213.2: Dry hiding power - Contrast ratio
View on Information Provider website {{ linkText }}
Abbreviation
AS 1580.213.2-2004
Valid from
26/11/2004
Replaces
· ·
Information provider
SAI Global
Author
Standards Australia
Information type
Australian Standard
Format
PDF, Hard copy
Cited By
This resource is cited by 5 documents (show Citations)
This resource is cited by 3 documents (show citations)
Description
This Standard describes procedures for the quantitative determination of the opacity (by contrast ratio measurement) of a dry, light-coloured paint film at a specified spreading rate.
For assistance with locating previous versions, please contact the information provider.
View on Information Provider website {{ linkText }}
For assistance with locating previous versions, please contact the information provider.

AS 1580.213.2-2004 Paints and related materials - Methods of test - Method 213.2: Dry hiding power - Contrast ratio

This document is CITED BY:

This resource is cited by:

### AS 3730.10-2006

AS 1580.213.2-2004 is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

### • AS 3730.6-2006 (R2016)

AS 1580.213.2-2004 is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

#### AS 3730.7-2006 (R2016)

AS 1580.213.2-2004 is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

## • AS 3730.8-2006 (R2016)

AS 1580.213.2-2004 is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

## • AS 3730.9-2006 (R2016)

AS 1580.213.2-2004 is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

Back

## AS 1580.213.2-2004 Paints and related materials - Methods of test - Method 213.2: Dry hiding power - Contrast ratio

Show what documents this resource is CITED BY

Show what documents this resource CITES

#### Description

This Standard describes procedures for the quantitative determination of the opacity (by contrast ratio measurement) of a dry, light-coloured paint film at a specified spreading rate.

View on Information Provider website

AS 1580.213.2-2004 Paints and related materials - Methods of test - Method 213.2: Dry hiding power - Contrast ratio

#### Description

This Standard describes procedures for the quantitative determination of the opacity (by contrast ratio measurement) of a dry, light-coloured paint film at a specified spreading rate.

View on Information Provider website

This resource does not cite any other resources.

# AS 1580.213.2-2004 Paints and related materials - Methods of test - Method 213.2: Dry hiding power - Contrast ratio

This resource does not CITE any other resources.



Table of Contents

Print Save Email	
<u>Feedback</u>	
	_
• Contact us	
<ul> <li>Privacy policy</li> </ul>	
<ul> <li><u>Disclaimer</u></li> </ul>	
<ul> <li>Copyright</li> </ul>	

<u>Feedback</u>