

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 1594-1989 Hot-rolled steel flat products (supersedes AS 1594:1981)

[View on Information Provider website](#)

Abbreviation
AS 1594-1989
Valid from
01/01/1989

Information provider
SAI Global
Author
Standards Australia
Information type
Australian Standard
Format
Hardcopy, PDF

Cited By
[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies requirements for hot-rolled steel plate, floorplate, sheet and strip, rolled on a continuous mill, in thickness up to 13 mm and widths up to 2000 mm. It includes slit material, provided that the parent metal has an as-rolled width of not less than 600 mm.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

NZS 4442:1988 cites AS 1594:1981 in relation to steel products used in conjunction with surface water. AS 1594:1981 is no longer available online and is superseded by AS 1594:1989. AS 1594:1989 is currently only available in hardcopy.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

NZS 4442:1988 cites AS 1594:1981 in relation to steel products used in conjunction with surface water. AS 1594:1981 is no longer available online and is superseded by AS 1594:1989. AS 1594:1989 is currently only available in hardcopy.

This resource is cited by:

AS 1594-1989 Hot-rolled steel flat products (supersedes AS 1594:1981)

This document is CITED BY:

- [DoC backcountry hut manual 2009 \(Version 4\)](#)

AS 1594-1989 is cited by Hut procurement manual for backcountry huts

- [NZS 4442:1988](#)

AS 1594-1989 is cited by NZS 4442:1988 Welded steel pipes and fittings for water, sewage and medium pressure gas

Back

AS 1594-1989 Hot-rolled steel flat products (supersedes AS 1594:1981)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for hot-rolled steel plate, floorplate, sheet and strip, rolled on a continuous mill, in thickness up to 13 mm and widths up to 2000 mm. It includes slit material, provided that the parent metal has an as-rolled width of not less than 600 mm.

[View on Information Provider website](#)

[AS 1594-1989 Hot-rolled steel flat products \(supersedes AS 1594:1981\)](#)

Description

This Standard specifies requirements for hot-rolled steel plate, floorplate, sheet and strip, rolled on a continuous mill, in thickness up to 13 mm and widths up to 2000 mm. It includes slit material, provided that the parent metal has an as-rolled width of not less than 600 mm.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 1594-1989 Hot-rolled steel flat products (supersedes AS 1594:1981)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)

