Skip to main content Skip to primary navigation
Menu
Home Home
<u>About this portal</u>
Latest updates
Print Save Email
Resource detail
Citations

## AS 1595-1981 Cold-rolled unalloyed low carbon steel sheet and strip

View on Information Provider websi	<pre>ite {{ linkText }}</pre>
Abbreviation	
AS 1595-1981	
Valid from	
01/01/1981	
Information provider	
SAI Global	
Author	
Standards Australia	
Information type	
Australian Standard	
Format	
Hard copy	

### Cited By

This resource is cited by 3 documents (show Citations)

#### Description

This Standard specifies material supplied as both coil and cut lengths, in four temper-rolled grades based on formability. Three surface finishes are specified, and provision is made for four levels of surface quality.

For assistance with locating previous versions, please contact the information provider.

#### Notes/comments

Referenced in:

- AS/NZS 1730: 1996 in regard to washbasins,
- AS/NZS 2023:1995 in regard to baths and
- AS/NZS 4859.1:2002 in regard to thermal insulation

View on Information Provider website {{ linkText }}

#### For assistance with locating previous versions, please contact the information provider.

### Referenced in:

- AS/NZS 1730: 1996 in regard to washbasins,
- AS/NZS 2023:1995 in regard to baths and
- AS/NZS 4859.1:2002 in regard to thermal insulation

This resource is cited by:

# AS 1595-1981 Cold-rolled unalloyed low carbon steel sheet and strip

This document is CITED BY:

• AS 3588-1996

AS 1595-1981 is cited by AS 3588-1996 (R2016) Shower bases and shower modules

• <u>AS/NZS 1730:1996</u>

AS 1595-1981 is cited by AS/NZS 1730:1996 Washbasins

• <u>AS/NZS 2023:1995</u>

AS 1595-1981 is cited by AS/NZS 2023:1995 Baths for ablutionary purposes

Back

# AS 1595-1981 Cold-rolled unalloyed low carbon steel sheet and strip

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

This Standard specifies material supplied as both coil and cut lengths, in four temper-rolled grades based on formability. Three surface finishes are specified, and provision is made for four levels of surface quality.

View on Information Provider website

AS 1595-1981 Cold-rolled unalloyed low carbon steel sheet and strip

#### Description

This Standard specifies material supplied as both coil and cut lengths, in four temper-rolled grades based on formability. Three surface finishes are specified, and provision is made for four levels of surface quality.

View on Information Provider website

This resource does not cite any other resources.

## AS 1595-1981 Cold-rolled unalloyed low carbon steel sheet and strip

This resource does not CITE any other resources.

Close

Table of Contents

Print <u>Save</u>	Email		
Feedback			
			-

- <u>Contact us</u>
- Privacy policy

- <u>Disclaimer</u><u>Copyright</u>

Feedback