

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  
 

[Save](#)

[Resource detail](#)

[Citations](#)

## AS 1604-1997 Timber - Preservative-treated - Sawn and round

[View on Information Provider website](#)

### Abbreviation

AS 1604-1997

### Amendment

AS 1604-1997/Amdt 1-1998

### Valid from

05/04/1997

---

### Information provider

SAI Global

### Author

Standards Australia

### Information type

Australian Standard

### Format

PDF, Hard copy

---

### Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

### Description

This Standard specifies requirements for preservative-treated sawn and round timber for protection against decay, insect or marine borer attack.

It incorporates;

- borate treatment for hazard class 2,
- TBTN/permethrin treatment for hazard class 3,
- and ammoniacal copper quaternary (ACQ) for hazard classes 1 and 3 for hardwood, and hazard classes 2 to 5 for softwood.

This revision omits the equivalent retention levels of individual pieces expressed on a mass/volume basis. The description of the newly included preservatives is added into relevant clauses and Appendix B. Appendix C provides information on the allocation and registration of treatment plant numbers and preservative code numbers.

### Scope

[View on Information Provider website](#) `{{ linkText }}`

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## AS 1604-1997 Timber - Preservative-treated - Sawn and round

This document is CITED BY:

- [AS 2159-1995](#)

AS 1604-1997 is cited by AS 2159-1995 Rules for the design and installation of piling (known as the SAA Piling Code)

[Back](#)

## AS 1604-1997 Timber - Preservative-treated - Sawn and round

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard specifies requirements for preservative-treated sawn and round timber for protection against decay, insect or marine borer attack.

It incorporates;

- borate treatment for hazard class 2,
- TBTN/permethrin treatment for hazard class 3,
- and ammoniacal copper quaternary (ACQ) for hazard classes 1 and 3 for hardwood, and hazard classes 2 to 5 for softwood.

This revision omits the equivalent retention levels of individual pieces expressed on a mass/volume basis. The description of the newly included preservatives is added into relevant clauses and Appendix B. Appendix C provides information on the allocation and registration of treatment plant numbers and preservative code numbers.

[View on Information Provider website](#)

### [AS 1604-1997 Timber - Preservative-treated - Sawn and round](#)

### Description

This Standard specifies requirements for preservative-treated sawn and round timber for protection against decay, insect or marine borer attack.

It incorporates;

- borate treatment for hazard class 2,
- TBTN/permethrin treatment for hazard class 3,
- and ammoniacal copper quaternary (ACQ) for hazard classes 1 and 3 for hardwood, and hazard classes 2 to 5 for softwood.

This revision omits the equivalent retention levels of individual pieces expressed on a mass/volume basis. The description of the newly included preservatives is added into relevant clauses and Appendix B. Appendix C provides information on the allocation and registration of treatment plant numbers and preservative code numbers.

[View on Information Provider website](#)

This resource does not cite any other resources.

## AS 1604-1997 Timber - Preservative-treated - Sawn and round

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)