

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 1631-1994 (R2018) Cast grey and ductile iron non-pressure pipes and fittings

[View on Information Provider website](#)

Abbreviation

AS 1631-1994

Valid from

14/06/1994

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 3 documents \(show Citations\)](#)

Description

This Standard specifies requirements for cast grey iron (flake graphite) and ductile iron non-pressure pipes and fittings up to nominal size DN 300, and intended to be used where the internal working pressure is negligible. Where resistance to internal pressure is of prime importance, reference should be made to AS 2280, AS 2544 and AS 1724.

Scope

Note: Guidelines on information that should be provided by the purchaser or agreed upon at the time of enquiry or order are given in Appendix A. Typical designs of fittings are given in Appendix B.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1631-1994 (R2018) Cast grey and ductile iron non-pressure pipes and fittings

fittings

This document is CITED BY:

- [AS/NZS 3500.2:2003](#)

AS 1631-1994 is cited by AS/NZS 3500.2:2003 Plumbing and drainage - Sanitary plumbing and drainage

- [AS/NZS 3500.2:2015](#)

AS 1631-1994 is cited by AS/NZS 3500.2:2015 Plumbing and drainage - Part 2: Sanitary plumbing and drainage

- [AS/NZS 3500.2:2018](#)

AS 1631-1994 is cited by AS/NZS 3500.2:2018 Plumbing and drainage Part 2: Sanitary plumbing and drainage

Back

AS 1631-1994 (R2018) Cast grey and ductile iron non-pressure pipes and fittings

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for cast grey iron (flake graphite) and ductile iron non-pressure pipes and fittings up to nominal size DN 300, and intended to be used where the internal working pressure is negligible. Where resistance to internal pressure is of prime importance, reference should be made to AS 2280, AS 2544 and AS 1724.

[View on Information Provider website](#)

[AS 1631-1994 \(R2018\) Cast grey and ductile iron non-pressure pipes and fittings](#)

Description

This Standard specifies requirements for cast grey iron (flake graphite) and ductile iron non-pressure pipes and fittings up to nominal size DN 300, and intended to be used where the internal working pressure is negligible. Where resistance to internal pressure is of prime importance, reference should be made to AS 2280, AS 2544 and AS 1724.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 1631-1994 (R2018) Cast grey and ductile iron non-pressure pipes and fittings

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)