Skip to main content Skip to primary navigation	
Menu	
Home Home	
About this portal	
 <u>Latest updates</u> 	
Print Save Email	
Resource detail	
Citations	

AS 1684.2-1999 Residential timber-framed construction Part 2: Non-cyclonic areas

View on Information Provider website {{ linkText }}

Abbreviation

AS 1684.2-1999

Amendment

AS 1684.2-1999/Amdt 1-2000, AS 1684.2-1999/Amdt 2-2000, AS 1684.2-1999/Amdt 3-2001,

AS 1684.2-1999/Amdt 4-2002

Valid from

05/12/1999

Information provider

Standards Australia

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

This resource is cited by 1 document (show Citations)

Description

The objective of this Standard is to provide the building industry with procedures that can be used to determine building practice, to design or check construction details, and to determine member sizes, and bracing and fixing requirements for timber-framed construction in non-cyclonic areas.

This Standard specifies requirements for building practice and the selection, placement and fixing of the various structural elements used in the construction of timber-framed Class 1 and Class 10 Buildings as defined by the Building Code of Australia and within the limitations given in Clause 1.6. The Standard also applies to alterations and additions to these buildings.

This Standard also provides building practice and procedures, which assist in the correct specification and design of timber members, bracing and connections, thereby minimizing the risk of creating an environment which might adversely affect the ultimate performance of the structure.

Reference is made to the Span Tables in the Supplements throughout this Standard. The Supplements are an integral part of, and shall be used in conjunction with, this Standard.

This Standard may also be applicable to the design and construction of other classes of buildings where the design criteria, loadings and other parameters applicable to those classes of building are within the limitations of this Standard.

Notes:

- 1. See AS 1684.1 for details of design criteria, loadings and other parameters.
- 2. Whilst this Standard can be used to design Class 10 buildings, less conservative levels of design for this building class may be permitted by building regulations and other Australian Standards.

For assistance with locating previous versions, please contact the information provider.

<u>View on Information Provider website</u> {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 1684.2-1999 Residential timber-framed construction Part 2: Non-cyclonic areas

This document is CITED BY:

AS 2050-2002

AS 1684.2-1999 is cited by AS 2050-2002 Installation of roof tiles

Back

AS 1684.2-1999 Residential timber-framed construction Part 2: Non-cyclonic areas

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

The objective of this Standard is to provide the building industry with procedures that can be used to determine building practice, to design or check construction details, and to determine member sizes, and bracing and fixing requirements for timber-framed construction in non-cyclonic areas.

View on Information Provider website

AS 1684.2-1999 Residential timber-framed construction Part 2: Non-cyclonic areas

Description

The objective of this Standard is to provide the building industry with procedures that can be used to determine building practice, to design or check construction details, and to determine member sizes, and bracing and fixing requirements for timber-framed construction in non-cyclonic areas.

View on Information Provider website

This resource does not cite any other resources.

AS 1684.2-1999 Residential timber-framed construction Part 2: Non-cyclonic areas

This resource does not CITE any other resources.

Back

Table of Contents



- Contact us
- Privacy policy
- <u>Disclaimer</u>
- Copyright

	_		_

<u>Feedback</u>