

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)

[Citations](#)

AS 1696.1-1987 (R2016) Copper - Part 1: Determination of phosphorus - Spectrophotometric method

[View on Information Provider website](#)

Abbreviation

AS 1696.1-1987

Valid from

04/05/1987

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This standard sets out a spectrophotometric method for the determination of phosphorus in the range 0.003 to 0.05% in copper. The method has been found to be satisfactory for deoxidized copper containing up to 0.01% silver. The method represents a revision of AS 1696.1-1974.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

Standard reconfirmed 2 September 2016

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

Standard reconfirmed 2 September 2016

This resource is cited by:

AS 1696.1-1987 (R2016) Copper - Part 1: Determination of phosphorus -

Spectrophotometric method

This document is CITED BY:

- [AS 1566-1997](#)

AS 1696.1-1987 is cited by AS 1566-1997 (R2018) Copper and copper alloys - Rolled flat products

Back

AS 1696.1-1987 (R2016) Copper - Part 1: Determination of phosphorus - Spectrophotometric method

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard sets out a spectrophotometric method for the determination of phosphorus in the range 0.003 to 0.05% in copper. The method has been found to be satisfactory for deoxidized copper containing up to 0.01% silver. The method represents a revision of AS 1696.1-1974.

[View on Information Provider website](#)

[AS 1696.1-1987 \(R2016\) Copper - Part 1: Determination of phosphorus - Spectrophotometric method](#)

Description

This standard sets out a spectrophotometric method for the determination of phosphorus in the range 0.003 to 0.05% in copper. The method has been found to be satisfactory for deoxidized copper containing up to 0.01% silver. The method represents a revision of AS 1696.1-1974.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 1696.1-1987 (R2016) Copper - Part 1: Determination of phosphorus - Spectrophotometric method

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

[Feedback](#)