Skip to main content Skip to primary navigation	
Menu	
<ul> <li><u>Home Home</u></li> <li><u>About this portal</u></li> <li><u>Latest updates</u></li> </ul>	
Print Save Email	
Resource detail	
Citations	

## AS 1817.1-2003 (R2017) Metallic materials - Vickers hardness test - Test method 1: Test methods (ISO 6507-1:1997, MOD)

View on Information Provider website {{ linkText }}

Abbreviation AS 1817.1-2003 Valid from 08/01/2003

Information provider SAI Global Author Standards Australia Information type Australian Standard Format PDF, Hard copy

Cited By

This resource is cited by 2 documents (show Citations)

#### Description

This standard is an adoption with national modifications and is reproduced from ISO 6507-1:1997.

It specifies the method of Vickers hardness test for the three different ranges of test force for metallic materials.

The Vickers hardness test is specified in this part of ISO 6507 for lengths of indentation diagonals between 0.020 mm and 1.400 mm.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

# AS 1817.1-2003 (R2017) Metallic materials - Vickers hardness test - Test method 1: Test methods (ISO 6507-1:1997, MOD)

This document is CITED BY:

• <u>AS 1432-2004</u>

AS 1817.1-2003 is cited by AS 1432-2004 Copper tubes for plumbing, gasfitting and drainage applications

• <u>AS/NZS 1554.1:2014</u>

AS 1817.1-2003 is cited by AS/NZS 1554.1:2014 Structural steel welding - Part 1: Welding of steel structures

Back

## AS 1817.1-2003 (R2017) Metallic materials - Vickers hardness test - Test method 1: Test methods (ISO 6507-1:1997, MOD)

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

This standard is an adoption with national modifications and is reproduced from ISO 6507-1:1997.

It specifies the method of Vickers hardness test for the three different ranges of test force for metallic materials.

The Vickers hardness test is specified in this part of ISO 6507 for lengths of indentation diagonals between 0.020 mm and 1.400 mm.

View on Information Provider website

AS 1817.1-2003 (R2017) Metallic materials - Vickers hardness test - Test method 1: Test methods (ISO 6507-1:1997, MOD)

Description

This standard is an adoption with national modifications and is reproduced from ISO 6507-1:1997.

It specifies the method of Vickers hardness test for the three different ranges of test force for metallic materials.

The Vickers hardness test is specified in this part of ISO 6507 for lengths of indentation diagonals between 0.020 mm and 1.400 mm.

View on Information Provider website

This resource does not cite any other resources.

### AS 1817.1-2003 (R2017) Metallic materials - Vickers hardness test - Test method 1: Test methods (ISO 6507-1:1997, MOD)

This resource does not CITE any other resources.

B	а	С	k	

Close

#### Table of Contents

Print <u>Save</u> Email	
<u>Feedback</u>	

- Contact us
- Privacy policy

- <u>Disclaimer</u><u>Copyright</u>

Feedback