

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 2001.7.10-1983 Methods of test for textiles - Part 10: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and polyester (method using sulphuric acid 75% m/m)

[View on Information Provider website](#)

Abbreviation

AS 2001.7.10-1983

Valid from

07/03/1983

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This standard describes a method for the quantitative analysis of binary mixtures of certain cellulose fibres and polyester using 75 percent sulphuric acid as a solvent for the cellulose.

Scope

For assistance with locating previous versions, please contact the information provider.

Notes/comments

AS/NZS 4859.1:2002 cites this standard with reference to the material properties of textiles used for thermal insulation.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

AS/NZS 4859.1:2002 cites this standard with reference to the material properties of textiles used for thermal insulation.

This resource is cited by:

AS 2001.7.10-1983 Methods of test for textiles - Part 10: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and polyester (method using sulphuric acid 75% m/m)

This document is CITED BY:

- [AS/NZS 4859.1:2002](#)

AS 2001.7.10-1983 is cited by AS/NZS 4859.1:2002 Materials for the thermal insulation of buildings - General criteria and technical provisions

Back

AS 2001.7.10-1983 Methods of test for textiles - Part 10: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and polyester (method using sulphuric acid 75% m/m)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard describes a method for the quantitative analysis of binary mixtures of certain cellulose fibres and polyester using 75 percent sulphuric acid as a solvent for the cellulose.

[View on Information Provider website](#)

[AS 2001.7.10-1983 Methods of test for textiles - Part 10: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and polyester \(method using sulphuric acid 75% m/m\)](#)

Description

This standard describes a method for the quantitative analysis of binary mixtures of certain cellulose fibres and polyester using 75 percent sulphuric acid as a solvent for the cellulose.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 2001.7.10-1983 Methods of test for textiles - Part 10: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and polyester (method using sulphuric acid 75% m/m)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

<input type="text"/>		
<input type="text"/>	<input type="text"/>	<input type="text"/>

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)