

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  
 

[Save](#)

[Resource detail](#)  
[Citations](#)

## AS 2001.7.15-1983 Methods of test for textiles - Part 7.15: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and wool or hair (method using sulphuric acid 70% m/m)

[View on Information Provider website](#)

### Abbreviation

AS 2001.7.15-1983

### Valid from

07/03/1983

---

### Information provider

SAI Global

### Author

Standards Australia

### Information type

Australian Standard

### Format

PDF, Hard copy

---

### Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

### Description

This standard sets out a method for the quantitative analysis of binary mixtures of certain cellulose fibres and wool or hair using 70 percent sulphuric acid as a solvent for the cellulose.

### Scope

For assistance with locating previous versions, please contact the information provider.

### Notes/comments

AS/NZS 4859.1:2002 cites this standard with reference to the material properties of textiles used for thermal insulation.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

AS/NZS 4859.1:2002 cites this standard with reference to the material properties of textiles used for thermal insulation.

This resource is cited by:

## AS 2001.7.15-1983 Methods of test for textiles - Part 7.15: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and wool or hair (method using sulphuric acid 70% m/m)

This document is CITED BY:

- [AS/NZS 4859.1:2002](#)

AS 2001.7.15-1983 is cited by AS/NZS 4859.1:2002 Materials for the thermal insulation of buildings - General criteria and technical provisions

Back

## AS 2001.7.15-1983 Methods of test for textiles - Part 7.15: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and wool or hair (method using sulphuric acid 70% m/m)

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This standard sets out a method for the quantitative analysis of binary mixtures of certain cellulose fibres and wool or hair using 70 percent sulphuric acid as a solvent for the cellulose.

[View on Information Provider website](#)

[AS 2001.7.15-1983 Methods of test for textiles - Part 7.15: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and wool or hair \(method using sulphuric acid 70% m/m\)](#)

### Description

This standard sets out a method for the quantitative analysis of binary mixtures of certain cellulose fibres and wool or hair using 70 percent sulphuric acid as a solvent for the cellulose.

[View on Information Provider website](#)

This resource does not cite any other resources.

## AS 2001.7.15-1983 Methods of test for textiles - Part 7.15: Quantitative analysis of fibre mixtures - Binary mixtures of certain cellulose fibres and wool or hair (method using sulphuric acid 70% m/m)

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

<input type="text"/>		
<input type="text"/>	<input type="text"/>	<input type="text"/>

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)