

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 2001.7.6-1983 Methods of test for textiles - Part 7.6: Quantitative analysis of fibre mixtures - Binary mixtures of viscose, cupro or certain types of polynosic (modal) and cotton fibres (method using formic acid and zinc chloride)

[View on Information Provider website](#)

Abbreviation

AS 2001.7.6-1983

Valid from

07/03/1983

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This standard sets out a method for the quantitative analysis of binary mixtures of viscose, cupro or certain types of polynosic (modal) and cotton fibres using a solution of formic acid and zinc chloride as the solvent for the viscose, cupro or polynosic (modal).

For assistance with locating previous versions, please contact the information provider.

Notes/comments

AS/NZS 4859.1:2002 cites this standard with reference to the material properties of textiles used for thermal insulation.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

AS/NZS 4859.1:2002 cites this standard with reference to the material properties of textiles used for thermal insulation.

This resource is cited by:

AS 2001.7.6-1983 Methods of test for textiles - Part 7.6: Quantitative analysis of fibre mixtures - Binary mixtures of viscose, cupro or certain types of polynosic (modal) and cotton fibres (method using formic acid and zinc chloride)

This document is CITED BY:

- [AS/NZS 4859.1:2002](#)

AS 2001.7.6-1983 is cited by AS/NZS 4859.1:2002 Materials for the thermal insulation of buildings - General criteria and technical provisions

Back

AS 2001.7.6-1983 Methods of test for textiles - Part 7.6: Quantitative analysis of fibre mixtures - Binary mixtures of viscose, cupro or certain types of polynosic (modal) and cotton fibres (method using formic acid and zinc chloride)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard sets out a method for the quantitative analysis of binary mixtures of viscose, cupro or certain types of polynosic (modal) and cotton fibres using a solution of formic acid and zinc chloride as the solvent for the viscose, cupro or polynosic (modal).

[View on Information Provider website](#)

[AS 2001.7.6-1983 Methods of test for textiles - Part 7.6: Quantitative analysis of fibre mixtures - Binary mixtures of viscose, cupro or certain types of polynosic \(modal\) and cotton fibres \(method using formic acid and zinc chloride\)](#)

Description

This standard sets out a method for the quantitative analysis of binary mixtures of viscose, cupro or certain types of polynosic (modal) and cotton fibres using a solution of formic acid and zinc chloride as the solvent for the viscose, cupro or polynosic (modal).

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 2001.7.6-1983 Methods of test for textiles - Part 7.6: Quantitative analysis of fibre mixtures - Binary mixtures of viscose, cupro or certain types of polynosic (modal) and cotton fibres (method using formic acid and zinc chloride)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)