

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 2001.7.7-1983 Methods of test for textiles - Part 7.7: Quantitative analysis of fibre mixtures - Binary mixtures of nylon 6 or nylon 6.6 and certain other fibres (method using formic acid 80% m/m)

[View on Information Provider website](#)

Abbreviation

AS 2001.7.7-1983

Valid from

07/03/1983

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This standard sets out a method for the quantitative analysis of binary mixtures of nylon 6 or nylon 6.6 and certain other fibres using formic acid as the solvent for the nylon.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

AS/NZS 4859.1:2002 cites this standard with reference to the material properties of textiles used for thermal insulation.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

AS/NZS 4859.1:2002 cites this standard with reference to the material properties of textiles used for thermal insulation.

This resource is cited by:

AS 2001.7.7-1983 Methods of test for textiles - Part 7.7: Quantitative analysis of

fibres mixtures - Binary mixtures of nylon 6 or nylon 6.6 and certain other fibres (method using formic acid 80% m/m)

This document is CITED BY:

- [AS/NZS 4859.1:2002](#)

AS 2001.7.7-1983 is cited by AS/NZS 4859.1:2002 Materials for the thermal insulation of buildings - General criteria and technical provisions

Back

AS 2001.7.7-1983 Methods of test for textiles - Part 7.7: Quantitative analysis of fibre mixtures - Binary mixtures of nylon 6 or nylon 6.6 and certain other fibres (method using formic acid 80% m/m)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard sets out a method for the quantitative analysis of binary mixtures of nylon 6 or nylon 6.6 and certain other fibres using formic acid as the solvent for the nylon.

[View on Information Provider website](#)

[AS 2001.7.7-1983 Methods of test for textiles - Part 7.7: Quantitative analysis of fibre mixtures - Binary mixtures of nylon 6 or nylon 6.6 and certain other fibres \(method using formic acid 80% m/m\)](#)

Description

This standard sets out a method for the quantitative analysis of binary mixtures of nylon 6 or nylon 6.6 and certain other fibres using formic acid as the solvent for the nylon.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 2001.7.7-1983 Methods of test for textiles - Part 7.7: Quantitative analysis of fibre mixtures - Binary mixtures of nylon 6 or nylon 6.6 and certain other fibres (method using formic acid 80% m/m)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)

- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)