

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Resource detail](#)  
[Citations](#)

## AS 2331.3.13-2006 (R2017) Methods of test for metallic and related coatings - Corrosion and related property tests - Wet (salt fog)/dry/humidity

[View on Information Provider website](#)

### Abbreviation

AS 2331.3.13-2006

### Valid from

14/08/2006

---

### Information provider

SAI Global

### Author

Standards Australia

### Information type

Australian Standard

### Format

PDF

---

### Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

---

### Description

This Standard specifies a method for the determination of the resistance of painted coatings to one of five defined cycles of wet (salt fog)/dry/humidity conditions using specified solutions.

### Scope

This practice is limited to the methods of obtaining, measuring and controlling exposure conditions, and procedures. For the evaluation of results refer to AS 1247.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

### This resource is cited by:

## AS 2331.3.13-2006 (R2017) Methods of test for metallic and related coatings - Corrosion and related property tests - Wet (salt fog)/dry/humidity

This document is CITED BY:

- [AS/NZS 2728:2007](#)

AS 2331.3.13-2006 is cited by AS/NZS 2728:2007 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

- [AS/NZS 2728:2013](#)

AS 2331.3.13-2006 is cited by AS/NZS 2728:2013 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

Back

## AS 2331.3.13-2006 (R2017) Methods of test for metallic and related coatings - Corrosion and related property tests - Wet (salt fog)/dry/humidity

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard specifies a method for the determination of the resistance of painted coatings to one of five defined cycles of wet (salt fog)/dry/humidity conditions using specified solutions.

[View on Information Provider website](#)

[AS 2331.3.13-2006 \(R2017\) Methods of test for metallic and related coatings - Corrosion and related property tests - Wet \(salt fog\)/dry/humidity](#)

### Description

This Standard specifies a method for the determination of the resistance of painted coatings to one of five defined cycles of wet (salt fog)/dry/humidity conditions using specified solutions.

[View on Information Provider website](#)

This resource does not cite any other resources.

## AS 2331.3.13-2006 (R2017) Methods of test for metallic and related coatings - Corrosion and related property tests - Wet (salt fog)/dry/humidity

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

  
    

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)