

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 2362.9-1990 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 9: High frequency disturbance test

[View on Information Provider website](#)

Abbreviation

AS 2362.9-1990 (R2016)

Valid from

06/08/1990

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard describes procedures for determining the performance of actuating devices.

Scope

This Standard sets out the method of testing to determine the susceptibility of an actuating device to high frequency transients. (See performance requirements in the appropriate device Standard.)

For assistance with locating previous versions, please contact the information provider.

Notes/comments

Standard reconfirmed 16 June 2016

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

Standard reconfirmed 16 June 2016

This resource is cited by:

AS 2362.9-1990 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 9: High frequency disturbance test

This document is CITED BY:

- [AS 3786-1993](#)

AS 2362.9-1990 (R2016) is cited by AS 3786-1993 Smoke alarms

Back

AS 2362.9-1990 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 9: High frequency disturbance test

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard describes procedures for determining the performance of actuating devices.

[View on Information Provider website](#)

[AS 2362.9-1990 \(R2016\) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 9: High frequency disturbance test](#)

Description

This Standard describes procedures for determining the performance of actuating devices.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 2362.9-1990 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 9: High frequency disturbance test

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

