

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)

[Citations](#)

## AS 2676.2-1992 Guide to the installation, maintenance, testing and replacement of secondary batteries in buildings - Part 2: Sealed cells

[View on Information Provider website](#)

### Abbreviation

AS 2676.2-1992

### Valid from

16/03/1992

---

### Information provider

SAI Global

### Author

Standards Australia

### Information type

Australian Standard

### Format

PDF

---

### Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

---

### Description

This Standard sets out recommended practices for the installation, maintenance, testing and replacement of sealed secondary batteries (either valve-regulated or gastight) located in or on buildings. It also provides guidance to determine when batteries should be replaced.

### Scope

This Standard covers secondary batteries with a nominal voltage of 24 V or greater, and a capacity exceeding 10 A.h at the 1 h rate and includes batteries comprising lead-acid cells and alkaline cells (such as nickel-cadmium cells).

This Standard covers requirements for components of the d.c. system of which the battery is a part, where these components comprise an essential part of the d.c. system. This Standard covers sealed cells only. The installation and maintenance of vented cells are covered by AS 3011.1 and AS 2676.1.

Note: Requirements specifically applicable to the design and installation of extra-low voltage (d.c.) power supplies that are used by telecommunications carriers in the provision of public telecommunications networks are given in AS 3015 (Int)-1991, Electrical installations- Extra-low voltage (d.c.) power supplies in public telecommunications networks.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

This resource is cited by:

## AS 2676.2-1992 Guide to the installation, maintenance, testing and replacement of secondary batteries in buildings - Part 2: Sealed cells

This document is CITED BY:

- [AS 1668.2-2002](#)

AS 2676.2-1992 is cited by AS 1668.2-2002 The use of ventilation and air-conditioning in buildings. Part 2 Ventilation design for indoor air contaminant control

- [AS/NZS 2293.2:1995](#)

AS 2676.2-1992 is cited by AS/NZS 2293.2:1995 Emergency evacuation lighting for buildings - Inspection and maintenance

Back

## AS 2676.2-1992 Guide to the installation, maintenance, testing and replacement of secondary batteries in buildings - Part 2: Sealed cells

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard sets out recommended practices for the installation, maintenance, testing and replacement of sealed secondary batteries (either valve-regulated or gastight) located in or on buildings. It also provides guidance to determine when batteries should be replaced.

[View on Information Provider website](#)

[AS 2676.2-1992 Guide to the installation, maintenance, testing and replacement of secondary batteries in buildings - Part 2: Sealed cells](#)

### Description

This Standard sets out recommended practices for the installation, maintenance, testing and replacement of sealed secondary batteries (either valve-regulated or gastight) located in or on buildings. It also provides guidance to determine when batteries should be replaced.

[View on Information Provider website](#)

This resource does not cite any other resources.

## AS 2676.2-1992 Guide to the installation, maintenance, testing and replacement of secondary batteries in buildings - Part 2: Sealed cells

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print

[Save](#)

Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)