

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Resource detail](#)  
[Citations](#)

## AS 2887-1993 (R2017) Plastic waste fittings

[View on Information Provider website](#)

Abbreviation  
AS 2887-1993  
Valid from  
15/11/1993

---

Information provider  
SAI Global  
Author  
Standards Australia  
Information type  
Australian Standard  
Format  
PDF

---

Cited By  
[This resource is cited by 13 documents \(show Citations\)](#)  
Cites  
[This resource cites 24 documents \(show Citations\)](#)

---

### Description

This Standard specifies requirements for moulded or fabricated plastic waste fittings for use in plumbing installations. Such fittings are suitable for receiving short-duration, intermittent liquid discharges at temperatures not exceeding 95C.

### Scope

#### NOTE:

Where it is envisaged that a plastic waste fitting will be used in an environment where temperatures in excess of 95C are common, advice should be sought from the manufacturer.

UPVC fittings for soil, waste and vent applications are not covered by this Standard (see AS 1415).

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

**This resource is cited by:**

# AS 2887-1993 (R2017) Plastic waste fittings

This document is CITED BY:

- [G13/AS1 \(Second Edition, Amendment 5\)](#)

AS 2887-1993 is cited by Acceptable Solution G13/AS1: Sanitary Plumbing from 01/10/2001

- [G13/AS1 \(Second Edition, Amendment 7\)](#)

AS 2887-1993 is cited by Acceptable Solution G13/AS1: Sanitary Plumbing from 01/10/2001

- [G13/AS1 \(Second Edition, Amendment 4\)](#)

AS 2887-1993 is cited by Acceptable Solution G13/AS1: Sanitary Plumbing from 01/10/2001

- [G13/AS1 \(Second Edition, Amendment 8\)](#)

AS 2887-1993 is cited by Acceptable Solution G13/AS1: Sanitary Plumbing from 01/10/2001

- [G13/AS1 \(Second Edition, Amendment 3\)](#)

AS 2887-1993 is cited by Acceptable Solution G13/AS1: Sanitary Plumbing from 01/10/2001

- [G13/AS1 \(Second Edition, Amendment 6\)](#)

AS 2887-1993 is cited by Acceptable Solution G13/AS1: Sanitary Plumbing from 01/10/2001

- [AS 1589-2001 \(Reconfirmed 2018\)](#)

AS 2887-1993 is cited by AS 1589-2001 (R2018) Copper and copper alloy waste fittings

- [AS 3588-1996](#)

AS 2887-1993 is cited by AS 3588-1996 (R2016) Shower bases and shower modules

- [AS/NZS 1229:2002](#)

AS 2887-1993 is cited by AS/NZS 1229:2002 (R2016) Laundry troughs and tubs

- [AS/NZS 1260:2009](#)

AS 2887-1993 is cited by AS/NZS 1260:2009 PVC-U Pipes and fittings for drain, waste and vent applications

- [AS/NZS 1730:1996](#)

AS 2887-1993 is cited by AS/NZS 1730:1996 Washbasins

- [AS/NZS 2023:1995](#)

AS 2887-1993 is cited by AS/NZS 2023:1995 Baths for ablutionary purposes

- [AS/NZS 5065:2005](#)

AS 2887-1993 is cited by AS/NZS 5065:2005 (R2016) Polyethylene and polypropylene pipes and fittings for drainage and sewerage applications

[Back](#)

# AS 2887-1993 (R2017) Plastic waste fittings

Show what documents this resource is CITED BY

Show what documents this resource CITES

## Description

This Standard specifies requirements for moulded or fabricated plastic waste fittings for use in plumbing installations. Such

fittings are suitable for receiving short-duration, intermittent liquid discharges at temperatures not exceeding 95C.

[View on Information Provider website](#)

[AS 2887-1993 \(R2017\) Plastic waste fittings](#)

#### Description

This Standard specifies requirements for moulded or fabricated plastic waste fittings for use in plumbing installations. Such fittings are suitable for receiving short-duration, intermittent liquid discharges at temperatures not exceeding 95C.

[View on Information Provider website](#)

This resource cites:

## AS 2887-1993 (R2017) Plastic waste fittings

This document CITES:

#### New Zealand Standards

- [AS 1415.4-1984](#)

AS 2887-1993 cites AS 1415.4-1984 Unplasticized PVC (UPVC) pipes and fittings for soil, waste and vent (SWV) applications - Part 4: Rubber ring expansion joints

#### Australian Standards

- [AS 2888.10-1986](#)

AS 2887-1993 cites AS 2888.10-1986 Methods of testing plastics waste fittings - Part 10: Method for leak testing plastics pan connectors

- [AS 1074-1989](#)

AS 2887-1993 cites AS 1074-1989 (R2018) Steel tubes and tubulars for ordinary service

- [AS 1172.1-1993](#)

AS 2887-1993 cites AS 1172.1-1993 Water closets of 6/3 L capacity - Part 1: Pans

- [AS 1415.1-1984](#)

AS 2887-1993 cites AS 1415.1-1984 Unplasticized PVC (UPVC) pipes and fittings for soil, waste and vent (SWV) applications - Part 1: Pipes

- [AS 1415.2-1984](#)

AS 2887-1993 cites AS 1415.2-1984 Unplasticized PVC (UPVC) pipes and fittings for soil, waste and vent (SWV) applications - Part 2: Moulded fittings

- [AS 1432-1990](#)

AS 2887-1993 cites AS 1432-1990 Copper tubes for plumbing, gasfitting and drainage applications

- [AS 1444-1986](#)

AS 2887-1993 cites AS 1444-1986 Wrought alloy steels - Standard and hardenability (H) series and hardened and tempered to designated mechanical properties

- [AS 1589-1987](#)

AS 2887-1993 cites AS 1589-1987 Copper and copper alloy waste fittings

- [AS 1646-1992](#)

AS 2887-1993 cites AS 1646-1992 Elastomeric seals for waterworks purposes

- [AS 1722.2-1992](#)

AS 2887-1993 cites AS 1722.2-1992 (R2017) Pipe threads of Whitworth form - Part 2: Fastening pipe threads

- [AS 1769-1975](#)

AS 2887-1993 cites AS 1769-1975 (R2018) Welded stainless steel tubes for plumbing applications

- [AS 2888.1-1986](#)

AS 2887-1993 cites AS 2888.1-1986 Methods of testing plastics waste fittings - Part 1: Method for determining the suitability of connection threads of B.S.P. form of plastics waste fittings

- [AS 2888.11-1993](#)

AS 2887-1993 cites AS 2888.11-1993 Methods of testing plastics waste fittings - Part 11: Method for cyclic testing of plastics telescopic waste connectors (rubber-ring joint type)

- [AS 2888.2-1986](#)

AS 2887-1993 cites AS 2888.2-1986 Methods of testing plastics waste fittings - Part 2: Method for determining dimensions of plastics waste fittings

- [AS 2888.3-1986](#)

AS 2887-1993 cites AS 2888.3-1986 Methods of testing plastics waste fittings - Method 3: Method for pressure testing of plastics waste fittings

- [AS 2888.4-1986](#)

AS 2887-1993 cites AS 2888.4-1986 Methods of testing plastics waste fittings - Method 4: Method for air pressure/vacuum testing of plastics waste fittings

- [AS 2888.5-1986](#)

AS 2887-1993 cites AS 2888.5-1986 Methods of testing plastics waste fittings - Method 5: Trap seal test

- [AS 2888.6-1986](#)

AS 2887-1993 cites AS 2888.6-1986 Methods of testing plastics waste outlets - Method 6: Method for load testing of plastics waste outlets

- [AS 2888.7-1986](#)

AS 2887-1993 cites AS 2888.7-1986 Methods of testing plastics waste outlets - Method 7: Method for testing the seal of plastics waste outlets

- [AS 2888.8-1993](#)

AS 2887-1993 cites AS 2888.8-1993 Methods of testing plastics waste fittings - Method 8: Thermal cycling test

- [AS 2888.9-1986](#)

AS 2887-1993 cites AS 2888.9-1986 Methods of testing plastics waste fittings - Method 9: Method for determining residual stress in plastics waste fittings

- [AS 3500.0-1990](#)

AS 2887-1993 cites AS 3500.0-1990 National Plumbing and Drainage Code - Part 0: Glossary of terms

- [AS 3518.2-1988](#)

AS 2887-1993 cites AS 3518.2-1988 Acrylonitrile butadiene styrene (ABS) pipes and fittings for pressure applications - Solvent cement fittings

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)