

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

Save

Email

[Resource detail](#)
[Citations](#)

AS 3169-1989 Approval and test specification - Flat, quick-connect terminations

[View on Information Provider website](#)

{{ linkText }}

Abbreviation
AS 3169-1989
Valid from
14/07/1989

Information provider
SAI Global
Author
Standards Australia
Information type
Australian Standard
Format
PDF

Cited By
[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard specifies essential safety requirements for flat, quick-connect terminations for approval and test purposes. It is intended to be read in conjunction with AS 3100.

Scope

This Specification applies to flat, quick-connect terminations comprising tabs with hole or dimple detents, and their mating receptacles.

The terminations may serve to connect flexible, stranded, or solid conductors of copper, nickel, or other corrosion-resistant materials.

This specification does not apply to terminations for use with conductors made of aluminium, or aluminium alloys.

Note: This specification is not intended to preclude the use of multiple connectors of similar principle but of different form, e.g. circular.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

{{ linkText }}

This resource is cited by:

AS 3169-1989 Approval and test specification - Flat, quick-connect terminations

This document is CITED BY:

- AS 1308-1987

AS 3169-1989 is cited by AS 1308-1987 (R2016) Electric water heaters - Thermostats and thermal cutouts

Back

AS 3169-1989 Approval and test specification - Flat, quick-connect terminations

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

This Standard specifies essential safety requirements for flat, quick-connect terminations for approval and test purposes. It is intended to be read in conjunction with AS 3100.

[View on Information Provider website](#)

[AS 3169-1989 Approval and test specification - Flat, quick-connect terminations](#)

Description

This Standard specifies essential safety requirements for flat, quick-connect terminations for approval and test purposes. It is intended to be read in conjunction with AS 3100.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 3169-1989 Approval and test specification - Flat, quick-connect terminations

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print Save Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)

- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)