

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 3501-1987 (R2017) Parallel screw threads of Whitworth form (BSW and BSF) and associated gauges and gauging practice

[View on Information Provider website](#)

Abbreviation

AS 3501-1987 (R2017)

Valid from

05/10/1987

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 3 documents \(show Citations\)](#)

Description

This Standard specifies requirements (in inch units) for parallel screw threads, having the Whitworth thread form, together with associated gauges and gauging practices, in the diameter size range 1/8inch to 6 inches inclusive.

The Standard gives information on designation, thread classes, deviations, tolerances, and gauging.

Appendices give the basis of the tabulated values, pitch diameter equivalents of pitch and flank angle errors, details of some less frequently used threads, and notes on screw thread verification.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 3501-1987 (R2017) Parallel screw threads of Whitworth form (BSW and BSF) and associated gauges and gauging practice

This document is CITED BY:

- [AS/NZS 3500.2:2003](#)

AS 3501-1987 (R2017) is cited by AS/NZS 3500.2:2003 Plumbing and drainage - Sanitary plumbing and drainage

- [AS/NZS 3500.2:2015](#)

AS 3501-1987 (R2017) is cited by AS/NZS 3500.2:2015 Plumbing and drainage - Part 2: Sanitary plumbing and drainage

- [AS/NZS 3500.2:2018](#)

AS 3501-1987 (R2017) is cited by AS/NZS 3500.2:2018 Plumbing and drainage Part 2: Sanitary plumbing and drainage

Back

AS 3501-1987 (R2017) Parallel screw threads of Whitworth form (BSW and BSF) and associated gauges and gauging practice

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements (in inch units) for parallel screw threads, having the Whitworth thread form, together with associated gauges and gauging practices, in the diameter size range 1/8inch to 6 inches inclusive.

The Standard gives information on designation, thread classes, deviations, tolerances, and gauging.

Appendices give the basis of the tabulated values, pitch diameter equivalents of pitch and flank angle errors, details of some less frequently used threads, and notes on screw thread verification.

[View on Information Provider website](#)

[AS 3501-1987 \(R2017\) Parallel screw threads of Whitworth form \(BSW and BSF\) and associated gauges and gauging practice](#)

Description

This Standard specifies requirements (in inch units) for parallel screw threads, having the Whitworth thread form, together with associated gauges and gauging practices, in the diameter size range 1/8inch to 6 inches inclusive.

The Standard gives information on designation, thread classes, deviations, tolerances, and gauging.

Appendices give the basis of the tabulated values, pitch diameter equivalents of pitch and flank angle errors, details of some less frequently used threads, and notes on screw thread verification.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 3501-1987 (R2017) Parallel screw threads of Whitworth form (BSW and BSF) and associated gauges and gauging practice

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)