

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 3518.1-1988 Acrylonitrile butadiene styrene (ABS) pipes and fittings for pressure applications - Part 1: Pipes

[View on Information Provider website](#)

Abbreviation

AS 3518.1-1988

Valid from

01/01/1988

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 3 documents \(show Citations\)](#)

Description

This Standard specifies requirements for pipes up to 200 mm nominal size manufactured from acrylonitrile butadiene styrene (ABS) polymer for pressure applications for conveyance of potable water and other liquids and gases.

Pipes manufactured in accordance with this Standard are not intended for the transport of gaseous fuels.

Requirements for composition, effect on water, reversion, impact resistance, hydro-static pressure resistance and heat ageing are included.

Test methods are included as appendices.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 3518.1-1988 Acrylonitrile butadiene styrene (ABS) pipes and fittings for

pressure applications - Part 1: Pipes

This document is CITED BY:

- [AS/NZS 2566.1:1998](#)

AS 3518.1-1988 is cited by AS/NZS 2566.1:1998 (R2018) Buried Flexible pipelines. Structural Design

- [AS/NZS 3500.1:2003](#)

AS 3518.1-1988 is cited by AS/NZS 3500.1:2003 Plumbing and drainage - Water services

- [AS/NZS 3500.4:2003](#)

AS 3518.1-1988 is cited by AS/NZS 3500.4:2003 Plumbing and drainage - Part 4: Heated water services

Back

AS 3518.1-1988 Acrylonitrile butadiene styrene (ABS) pipes and fittings for pressure applications - Part 1: Pipes

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for pipes up to 200 mm nominal size manufactured from acrylonitrile butadiene styrene (ABS) polymer for pressure applications for conveyance of potable water and other liquids and gases.

Pipes manufactured in accordance with this Standard are not intended for the transport of gaseous fuels.

Requirements for composition, effect on water, reversion, impact resistance, hydro-static pressure resistance and heat ageing are included.

Test methods are included as appendices.

[View on Information Provider website](#)

[AS 3518.1-1988 Acrylonitrile butadiene styrene \(ABS\) pipes and fittings for pressure applications - Part 1: Pipes](#)

Description

This Standard specifies requirements for pipes up to 200 mm nominal size manufactured from acrylonitrile butadiene styrene (ABS) polymer for pressure applications for conveyance of potable water and other liquids and gases.

Pipes manufactured in accordance with this Standard are not intended for the transport of gaseous fuels.

Requirements for composition, effect on water, reversion, impact resistance, hydro-static pressure resistance and heat ageing are included.

Test methods are included as appendices.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 3518.1-1988 Acrylonitrile butadiene styrene (ABS) pipes and fittings for pressure applications - Part 1: Pipes

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)