

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 3572.10-1989 Plastics - Glass filament reinforced plastics (GRP) - Methods of test - Determination of the initial ring stiffness of glass filament reinforced plastics pipes

[View on Information Provider website](#)

Abbreviation
AS 3572.10-1989
Amendment
AS 3572.10-1989/Amdt 1-1990
Valid from
01/01/1989

Information provider
SAI Global
Author
Standards Australia
Information type
Australian Standard
Format
PDF, Hard copy

Cited By
[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard sets out two alternative methods for determining the initial ring stiffness of glass filament reinforced plastics (GRP) pipes. Either a constant deflection or a constant load test method may be used.

NOTE: The constant deflection method is to be the referee method used in the case of a dispute.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 3572.10-1989 Plastics - Glass filament reinforced plastics (GRP) - Methods of test - Determination of the initial ring stiffness of glass filament reinforced plastics pipes

This document is CITED BY:

- [AS/NZS 2566.1:1998](#)

AS 3572.10-1989 is cited by AS/NZS 2566.1:1998 (R2018) Buried Flexible pipelines. Structural Design

Back

AS 3572.10-1989 Plastics - Glass filament reinforced plastics (GRP) - Methods of test - Determination of the initial ring stiffness of glass filament reinforced plastics pipes

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard sets out two alternative methods for determining the initial ring stiffness of glass filament reinforced plastics (GRP) pipes. Either a constant deflection or a constant load test method may be used.

NOTE: The constant deflection method is to be the referee method used in the case of a dispute.

[View on Information Provider website](#)

[AS 3572.10-1989 Plastics - Glass filament reinforced plastics \(GRP\) - Methods of test - Determination of the initial ring stiffness of glass filament reinforced plastics pipes](#)

Description

This Standard sets out two alternative methods for determining the initial ring stiffness of glass filament reinforced plastics (GRP) pipes. Either a constant deflection or a constant load test method may be used.

NOTE: The constant deflection method is to be the referee method used in the case of a dispute.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 3572.10-1989 Plastics - Glass filament reinforced plastics (GRP) - Methods of test - Determination of the initial ring stiffness of glass filament reinforced plastics pipes

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)

